

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
ALFA ROMEO							
1971-84	Alfasud	CAFL-01			CARL-01		
AUDI							
1976-82	Audi 100					CARS-200	
1995-01	Audi A4 4 cyl. 2WD	CAFL-04			CARL-07		
1995-01	Audi A4 6 cyl. 2WD	CAFL-02			CARL-03	CARS-03	
1995-01	Audi A4 Quattro 4 cyl.	CAFL-04			CARL-04		
1995-01	Audi A4 Quattro 6 cyl.	CAFL-02			CARL-05		
1997-on	Audi A3	CAFL-06			CARL-201		
BMW							
9/75-77	2500,2.8,3.0,3.3 E3					CBRS-01	
3 SERIES							
NOTE EXCLUDES CARS WITH M TECH SUSPENSION							
8/75-10/82	318, 320 E21	CBFL-201	CBFS-201		CBRL-02	CBRS-02	
8/75-10/82	323 E21	CBFL-202	CBFS-202		CBRL-02	CBRS-02	
11/82-91	318 4 cyl. E30	CBFL-203	CBFS-203		CBRL-04	CBRS-04	
11/82-91	320, 323, 325 6 cyl. E30	CBFL-204	CBFS-204		CBRL-04	CBRS-04	
90-9/91	318, 320, 325 E36	CBFL-205	CBFS-205		CBRL-06	CBRS-06	
10/91-00	3 Series All 4 cyl. E36	CBFL-06	CBFS-06		CBRL-06	CBRS-06	
10/91-00	3 Series All 6 cyl. E36	CBFL-07	CBFS-07		CBRL-06	CBRS-06	
1995-00	316 E36	CBFL-07	CBFS-07		CBRL-04	CBRS-04	
8/98-on	318,320, 323, 325,328, 330 E46	CBFL-08			CBRL-10		
5 SERIES							
3/74-5/81	5 Series All 6 cyl. E12		CBFS-08			CBRS-08	
1981-88	5 Series 520i E28					CBRS-14	
1988-96	523, 525, 528 6 cyl. E34	CBFL-206	CBFS-206		CBRL-206	CBRS-15	
6/96-00	6 cyl. 523,525, 528 E39	CBFL-08			CBRL-07		
6/96-00	V8 535, 540 E39	CBFL-09			CBRL-07		
7 SERIES							
9/79-86	7 Series 728i,732i,735i E23 (excludes M Tech)		CBFS-200			CBRS-207	
9/86-95	7 Series All E32					CBRS-09	
ROADSTER							
1997-00	Z3 4 cyl. Roadster	CBFL-11			CBRL-12		
1997-00	Z3 6 cyl. Roadster	CBFL-12			CBRL-04		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
CHEVROLET							
1955-on	Belair 210 Series	CCFL-02 (7)	CCFS-02 (7)				
1956-57	Belair	CCFL-201 (7)					
1958-64	Impala Sedan	CCFL-216 (7)	CCFS-216 (7)		CCRL-217 (7)	CCRS-217 (7)	
1964-70	Impala Sedan	CCFL-01 (7)	CCFS-01 (7)		CCRL-01 (7)	CCRS-01 (7)	
1967-69	Camaro	CCFL-202 (7)					
1970-81	Camaro	Coils available - Must measure & advise O.E coil measurements & advise motor size.					
Note	(7) Check & advise O.E spring measurements before ordering as different options are available.						
1968-78	Stingray		CCFS-03				
CHRYSLER							
1996-99	Neon Series 1	CCFL-04			CCRL-04		
1999-01	Neon Series 2	CCFL-05			CCRL-05		
2000-on	PT Cruiser	CCFL-06			CCRL-06		
1997-on	Voyager	CCFL-207					
DAEWOO							
1994-95	1.5i Sedan & Hatch	CDFL-01			CDRL-01	CDRS-01	
1995-98	Cielo Sedan & Hatch	CDFL-01			CDRL-01	CDRS-01	
1995-99	Espero	CDFL-201			CDRL-202	CDRS-202	
2003-on	Lacetti	CDFL-209			CDRL-11	CDRS-11	
1997-on	Lanos Sedan	CDFL-05			CDRL-05		
1997-99	Leganza 2 ltr. Sedan	CDFL-04			CDRL-04	CDRS-205	
1999-on	Leganza 2.2 ltr. Sedan	CDFL-208			CDRL-208	CDRS-208	
1996-on	Musso 4WD Wagon				CSRS-239	CSRH-239	
1997-03	Nubira Sedan	CDFL-02			CDRL-201	CDRS-201	
1997-03	Nubira Wagon	CDFL-02			CDRL-03	CDRS-200	CDRH-201
2000-on	Tacuma 4 Door Wagon	CDFL-14			CDRL-14		
DAIHATSU							
APPLAUSE / CHARADE							
1988-99	Applause					CDRS-06	
1983-87	Charade G11					CDRS-213	
1987-on	Charade G100					CDRS-07	
1989-92	Charade G102	CDFL-08			CDRL-08	CDRS-08	
1993-96	Charade G200 4 cyl.	CDFL-09	CDFS-09		CDRL-203 (10)	CDRS-203 (10)	
1993-96	Charade G202 3 cyl.	CDFL-08			CDRL-08 (10)	CDRS-08 (10)	
1996-00	Charade G203	CDFL-10 (11)	CDFS-10 (11)		CDRL-204 (11)	CDRS-204 (11)	
NOTE	(10) 1993-on Charade rear - use CDRL-204 / CDRS-204 instead if conical shaped coils are fitted.						
NOTE	(11) Check to ensure that rear coils are conical shaped before ordering these part numbers.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
DAIHATSU continued							
FEROZA							
1988-98	Feroza F300		CTB-15 (Torsion Bars)			CLS-53A (36)	(Leaf Springs)
NOTE (36)	Fit with urethane bush kit CUK710 & U Bolt kit CUBK658						
1992-99	Feroza F310		CTB-15 (Torsion Bars)			CLS-52 (38)	(Leaf Springs)
NOTE (38)	Fit with urethane bush kit CUK710 & U Bolt kit CUBK512A						
PYZAR							
1996-00	Pyzar G300 4 Door Wagon		CDFS-11			CDRS-207	CDRH-207
ROCKY / RUGGER							
1984-93	F70, 75, 80 & 85		CLS-51 (37)			CLS-17 (36)	(Leaf Springs)
NOTE (36)	Fit with urethane bush kit CUK710 & U Bolt kit CUBK658						
NOTE (37)	Fit with urethane bush kit CUK711 & U Bolt kit CUBK659A						
1994-95	Rocky F85						CDRH-208
SIRION							
1998-00	Sirion M100 (excluding GTVi)	CDFL-12			CDRL-12	CDRS-211	
2000-on	Sirion M101 incl. GTVi 16V	CDFL-210			CDRL-12	CDRS-211	
TERIOS							
1997-03	Terios 4WD Wagon	CDFL-13		CDFH-13	CDRL-212		CDRH-212
YRV							
2001-on	YRV 4 Door Wagon						CDRH-214
DAIMLER							
1969-84	Sovereign	CJFL-01 (12)	CJFS-01 (12)		CJRL-01 (13)	CJRS-01 (13)	
1969-84	Sovereign fitted with Chev. 350 motor	CJFL-02 (12)	CJFS-02 (12)		CJRL-01 (13)	CJRS-01 (13)	
1972-93	Sovereign Double Six	CJFL-201 (12)	CJFS-01 (12)		CJRL-01 (13)	CJRS-01 (13)	
1986-94	XJ 40 Series (not self levelling susp.)	CJFL-04			CJRL-201		
Note (12)	Remove all shims from wishbone before installing replacement coils						
Note (13)	Vehicle requires 2 coils per side						
FIAT							
1966-74	Fiat 124 Coupe	CFFL-209			CFRL-210		
1974-83	Fiat 131 Sedan	CFFL-211			CFRL-212		
1972-83	Fiat 132 Sedan					CFRS-213	
NOTE	## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
FORD							
CAPRI							
1969-73	Capri 4cyl	CFFL-05	CFFS-05		LB413 (38mm) LB414 (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
1969-73	Capri V6	CFFL-15	CFFS-15		LB413 (38mm) LB414 (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
1989-95	Capri SA,SC,SE. excludes Clubsprint	CFFL-09	CFFS-204		CFRL-09L	CFRS-214	
1989-95	Capri SC,SE. Clubsprint	CFFL-215	CFFS-216		CFRL-09L	CFRS-214	
CORTINA							
1962-66	MK 1	CFFL-06	CFFS-06		LB115/65	***(Lowering Blocks)	
1967-71	MK 2	CFFL-07	CFFS-07		LB418 (38mm) LB419 (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
1971-82	Cortina Mk III,IV,V 4 cyl Sedan	CFFL-08	CFFS-08		CFRL-12	CFRS-12	CFRH-12
1971-76	Cortina TC-TD 6 cyl Sedan (Aust.)	CFFL-11	CFFS-11		CFRL-12	CFRS-12	CFRH-12
1977-80	Cortina TE 4 cyl. Sedan (Aust.)	CFFL-12	CFFL-16		CFRL-12	CFRS-12	CFRH-12
1977-80	Cortina TE 6 cyl. Sedan (Aust.)	CFFL-16	CFFS-16		CFRL-12	CFRS-12	CFRH-12
1980-82	Cortina TF 4 & 6 cyl. Sedan (Aust.)	CFFL-21	CFFS-21		CFRL-12	CFRS-12	CFRH-12
1971-83	Cortina TC-TF S/Wagons	Fronts as for Sedans			CFRL-12	CFRH-12	
ESCORT							
1970-81	All Models Excluding 2 Litre (97mm I/D coil)	CFFL-14	CFFS-14		LB416 (38mm) LB417 (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
1978-81	Mk II 2 Litre (110mm I/D coil)	CFFL-15	CFFS-15		LB416B (38mm) LB417B (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
FAIRLANE / LTD 6 CYLINDER							
1967-82	ZA-ZJ Fairlane / LTD	CFFL-01 (1)	CFFS-01	CFFH-01	LB315 (38mm) LB320 (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
1967-82	ZA-ZJ Fairlane / LTD Superlow option ##	CFFL-16 (1)			LEAF SPRING RESET		
1982-88	ZK & ZL Fairlane FD, FE	CFFL-16 (1)	CFFS-16	CFFS-01	CFRL-202 (1)	CFRS-202	CFRH-202
1982-88	ZK & ZL Fairlane FD, FE Superlow option ##	CFFL-12 (1)			CFRL-217 (1)		
NOTE	(1) Advisable to fit short shock in this application.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
FAIRLANE / LTD 6 CYLINDER continued							
1988-99	Fairlane , LTD NA-NL, DA-DL	CFFL-205	CFFS-205	CFFH-205	CFRL-13 (1/4)	CFRS-13 (4)	CFRH-13 (4)
1988-99	Fairlane , LTD NA-NL DA-DL Superlow option ##	CFFL-218 (3)			CFRL-18 (1/4)		
1999-02	Fairlane , LTD AU & AU 2	CFFL-55	CFFS-55	CFFH-55	CFRL-56 (1)	CFRS-56	CFRH-56
1999-02	Fairlane , LTD AU & AU 2 Superlow option ##	CFFL-56			CFRL-57 (1)		
2003-on	Fairlane , LTD BA	CFFL-61	CFFS-61	CFFH-61	CFRL-65	CFRS-65	CFRH-65
2003-on	Fairlane , LTD BA Superlow option ##	CFFL-64			CFRL-62		
FAIRLANE / LTD V8							
1962-67	Fairlane Compact	CFFL-45	CFFS-45		LEAF SPRING RESET		
1967-82	Fairlane, LTD ZA-ZJ	CFFL-04 (1)	CFFS-03	CFFH-17	LB415 (38mm)	*** (Lowering Blocks)	
					LB420 (51mm)	*** (Lowering Blocks)	
1967-82	Fairlane, LTD ZA-ZJ Superlow option ##	CFFL-03 (1)			LEAF SPRING RESET		
1982-88	Fairlane, LTD ZK-ZL FD, FE	CFFL-04 (1)	CFFS-03	CFFH-17	CFRL-202 (1)	CFRS-202	CFRH-202
1982-88	Fairlane, LTD ZK-ZL FD, FE Superlow option ##	CFFL-03 (1)			CFRL-217 (1)		
1991-99	Fairlane, LTD NC-NL DC-DL	CFFL-27	CFFS-27	CFFH-27	CFRL-13 (1/4)	CFRS-13 (4)	CFRH-13 (4)
1991-99	Fairlane, LTD NC-NL DC-DL Superlow option ##	CFFL-27L (3)			CFRL-18 (1/4)		
1999-02	Fairlane , LTD AU & AU 2	CFFL-55	CFFS-55	CFFH-55	CFRL-56 (1)	CFRS-56	CFRH-56
1999-02	Fairlane , LTD AU & AU 2 Superlow option ##	CFFL-56			CFRL-57 (1)		
2003-on	Fairlane , LTD BA	CFFL-61	CFFS-61	CFFH-61	CFRL-65	CFRS-65	CFRH-65
2003-on	Fairlane , LTD BA Superlow option ##	CFFL-64			CFRL-62		
NOTE (1) Advisable to fit short shock in this application.							
NOTE (3) Short bumpstops and deaerating washers should be fitted using these coils.							
NOTE (4) For self levelling type rear shock models replace shocks with appropriate conventional part number.							
FALCON & FAIRMONT 6 CYLINDER							
1960-66	XK-XP Sedan & Wgn	CFFL-21 (1)	CFFS-21		LEAF SPRING RESET		
1966-80	XR-XD Sedan & Wgn (XD with cast head only)	CFFL-01 (1)	CFFS-01	CFFH-01	LB315 (38mm)	*** (Lowering Blocks)	
					LB320 (51mm)	*** (Lowering Blocks)	
NOTE (1) Advisable to fit short shock in this application.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
FALCON & FAIRMONT 6 CYLINDER continued							
1966-80	XR-XD Sedan & Wgn (XD with cast head only)						
	Superlow option ##	CFFL-16 (1)			LEAF SPRING RESET		
1980-82	XD with alloy head	CFFL-16 (1)	CFFS-16	CFFS-01	LB315 (38mm) LB320 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1980-82	XD with alloy head Superlow option ##	CFFL-16L (1)			LEAF SPRING RESET		
1982-88	XE-XF Sedan	CFFL-16 (1)	CFFS-16	CFFS-01	CFRL-13 (1)	CFRS-13	CFRH-13
1982-88	XE-XF Sedan Superlow option ##	CFFL-16L (1)			CFRL-18 (1)		
1982-88	XE-XF Wagon	CFFL-16 (1)	CFFS-16	CFFS-01	LB315 (38mm) LB320 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1988-98	EA-EL Sedan ##	CFFL-26	CFFS-26	CFFH-26	CFRL-18 (1)	CFRS-18	CFRH-13
1988-98	EA-EL Sedan Superlow ##	CFFL-26L (3)			CFRL-18L (2)		
1988-94	EA-ED Wagon	CFFL-26	CFFS-26	CFFH-26	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1994-98	EF-EL Wagon	CFFL-26	CFFS-26	CFFH-26	LB515 (38mm) LB520 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1994-on	EF-EL XR6 ##	CFFL-26L (3)	CFFL-26		CFRL-18L (2)	CFRL-18	
1998-02	AU Sedan std axle	CFFL-55	CFFS-55	CFFH-55	CFRL-18 (1)	CFRS-18	CFRS-13
1998-02	AU Sedan std axle Superlow option ##	CFFL-56			CFRL-18L (2)		
1998-02	AU XR6 Sedan std axle ##	CFFL-56	CFFL-55		CFRL-18L (2)	CFRL-18	
1998-02	AU Sedan IRS rear axle	CFFL-55	CFFS-55	CFFH-55	CFRL-56	CFRS-56	CFRH-56
1998-02	AU Sedan IRS rear axle Superlow option ##	CFFL-56			CFRL-57 (1)		
1998-02	AU XR6 Sedan IRS axle ##	CFFL-56	CFFL-55		CFRL-57 (1)	CFRL-56	
NOTE	(1) Advisable to fit short shock.						
NOTE	(2) Must fit short shock to retain coil.						
NOTE	(3) Short bumpstops and deaerating washers should be fitted using these coils.						
1998-02	AU Stationwagon or	CFFL-55	CFFS-55	CFFH-55	CLS-40 (14) CLS-41 (14)	CLS-42 (15) CLS-43 (15)	(Leaf springs) (Leaf springs)
NOTE	(14) CLS-40 suits models with round front spring eye. If eye is oval use CLS-41						
NOTE	(15) CLS-42 suits models with round front spring eye. If eye is oval use CLS-43						
2002-on	BA Sedan	CFFL-61	CFFS-61	CFFH-61	CFRL-65	CFRS-65	CFRH-65
2002-on	BA Sedan Superlow option ##	CFFL-64			CFRL-62		
2002-on	BA Sedan XR 6 ##	CFFL-64	CFFL-61		CFRL-62	CFRL-65	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
FALCON & FAIRMONT 6 CYLINDER continued							
2002-on	BA Stationwagon or	CFFL-61	CFFS-61	CFFH-61	CLS-40 (16) CLS-44 (16)	CLS-42 (17) CLS-48 (17)	(Leaf springs) (Leaf springs)
NOTE	(16) CLS-40 suits models with round front spring eye. If eye is oval use CLS-44						
NOTE	(17) CLS-42 suits models with round front spring eye. If eye is oval use CLS-48						
FALCON & FAIRMONT V8							
NOTE: COILS LISTED SUIT FACTORY V8's - PLEASE ADVISE IF NOT FACTORY FITTED AS DIFFERENT COILS MAY BE NEEDED.							
1966-79	XR-XC Excluding GT	CFFL-03 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1966-79	XR-XC GT	CFFL-03 (1)	CFFL-04	CFFS-03	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1966-79	XR-XC GT with fully optioned 351 V8	CFFL-04 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1979-82	XD Sedan & Wagon (Cleveland)	CFFL-04 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1979-82	XD Sedan & Wagon (Windsor)	CFFL-03 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1982-85	XE Sedan (Cleveland)	CFFL-04 (1)	CFFS-03	CFFH-01	CFRL-13 (1)	CFRS-13	CFRH-13
1982-85	XE Sedan (Windsor)	CFFL-03 (1)	CFFS-03	CFFH-01	CFRL-13 (1)	CFRS-13	CFRH-13
1982-85	XE Wagon (Cleveland)	CFFL-04 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1982-85	XE Wagon (Windsor)	CFFL-03 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1991-98	EB-EL Sedan	CFFL-27	CFFS-27	CFFH-26	CFRL-18 (1/4)	CFRS-18	CFRH-13
1991-98	EB-EL Sedan Superlow option ##	CFFL-27L (3)			CFRL-18L(2/4)		
1991-94	EB-ED Wagon	CFFL-27	CFFS-27	CFFH-26	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1994-98	EF-EL Wagon	CFFL-27	CFFS-27	CFFH-26	LB515 (38mm) LB520 (51mm)	*** (Lowering Blocks)	
1991-98	EF-EL XR8 Sedan ##	CFFL-27L (3)	CFFL-27	CFFH-26	CFRL-18L (2)	CFRL-18	
1998-on	AU Sedan std axle	CFFL-55	CFFS-55	CFFH-55	CFRL-18 (1)	CFRS-18	CFRS-13
1998-on	AU XR8 Sedan std axle ##	CFFL-56	CFFL-55		CFRL-18L (2)	CFRL-18	
1998-on	AU Sedan IRS axle	CFFL-55	CFFS-55	CFFH-55	CFRL-56 (1)	CFRS-56	CFRH-56
1998-on	AU XR8 Sedan IRS axle ##	CFFL-56	CFFL-55		CFRL-57 (1)	CFRL-56	
NOTE	(1) Advisable to fit short shock in this application.						
NOTE	(2) Must fit short shock to retain coil.						
NOTE	(3) Short bumpstops and deaerating washers should be fitted using these coils.						
NOTE	(4) For self levelling type rear shock models replace shocks with appropriate conventional part number.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
FALCON & FAIRMONT V8 continued							
1998-on	AU Wagon	CFFL-55	CFFS-55	CFFH-55	CLS-40 (14)	CLS-42 (15)	(Leaf springs)
	or				CLS-41 (14)	CLS-43 (15)	(Leaf springs)
NOTE	(14) CLS-40 suits models with round front spring eye. If eye is oval use CLS-41						
NOTE	(15) CLS-42 suits models with round front spring eye. If eye is oval use CLS-43						
NOTE	(1) Advisable to fit short shock in this application.						
NOTE	(2) Must fit short shock to retain coil.						
2002-on	BA Sedan	CFFL-61	CFFS-61	CFFH-61	CFRL-65	CFRS-65	CFRH-65
2002-on	BA Sedan						
	Superlow option ##	CFFL-64			CFRL-62		
2002-on	BA Sedan XR 8 ##	CFFL-64	CFFL-61		CFRL-62	CFRL-65	
2002-on	BA Stationwagon	CFFL-61	CFFS-61	CFFH-61	CLS-40 (16)	CLS-42 (17)	(Leaf springs)
	or				CLS-44 (16)	CLS-48 (17)	(Leaf springs)
NOTE	(16) CLS-40 suits models with round front spring eye. If eye is oval use CLS-44						
NOTE	(17) CLS-42 suits models with round front spring eye. If eye is oval use CLS-48						
FIESTA							
2004-on	Fiesta	CFFL-226			CFRL-227		
FESTIVA							
1991-97	WA & WB Sedan & Hatch	CMFL-03	CMFS-03		CMRL-03	CMRS-03	
1998-on	WF	CMFL-03	CMFS-03		CFRL-207	CMRS-03	
FOCUS							
2002-on	Focus Sedan & Hatch	CFFL-69			CFRL-70		
KA							
1999-5/99	KA Series 1	CFFL-60			CFRL-60 (18)	CFRS-60 (18)	
1999-on	KA Series 2	CFFL-60			CFRL-60A (19)	CFRS-60A (19)	
NOTE	(18) Parallel coil only. Check before ordering.						
NOTE	(19) Reduced end coil. Check before ordering						
LASER							
1981-90	KA-KE Laser						
	(incl. TX3 2WD)	CFFL-09	CFFS-09		CFRL-09	CFRS-09	
1981-90	KA-KE Laser Superlow ##						
	(incl. TX3 2WD)	CFFL-09L (5)			CFRL-09L (5)		
1985-on	Laser Wagon	CFFL-09	CFFS-09		CFRL-09	CFRS-15	
1985-on	Laser Wagon Superlow ##	CFFL-09L (5)			CFRL-09L (5)		
NOTE	(5) Will require short struts or modification to retain coils at full extension.						
NOTE	## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
FORD LASER continued							
1987-90	KE TX3 4WD	CFFL-200	CFFS-203		CFFL-09	CFRS-17	
1990-94	KF-KH 2WD (incl. TX3 2WD)						
	Sedan & Hatch	CFFL-18	CFFS-18		CFRL-19	CFRS-19	
1990-94	KF-KH 2WD (incl. TX3 2WD)						
	Sedan & Hatch						
	Superlow option ##	CMFL-205			CMRL-206 (6)		
1990-94	KF-KH & TX3 4WD	CFFL-18	CFFS-18		CMRL-209	CMRS-209	
1990-94	KF-KH & TX3 4WD						
	Superlow option ##	CMFL-205			CMRL-204 (6)		
NOTE	(6) May require shock modification to retain coil at full extension.						
1994-96	KJ Laser Lynx						
	3 Door Hatch	CFFL-220	CFFS-220		CFRL-201	CFRS-201	
1994-99	KJ - KL Laser 4 Door						
	Sedan & Hatch	CFFL-220	CFFS-220		CFRL-30	CFRS-30	
1999-03	KN - KQ Laser	CMFL-07			CMRL-07	CMRS-07	
	MONDEO						
1994-96	Sedan & Hatch HA, HB	CFFL-28	CFFS-28		CFRL-28	CFRS-28	
1994-96	Stationwagon HA, HB	CFFL-28	CFFS-28		CFRL-29	CFRS-29	
1996-99	Sedan & Hatch HC, HD	CFFL-29			CFRL-28	CFRS-28	
1996-99	Stationwagon HC, HD	CFFL-29			CFRL-29	CFRS-29	
2000-on	Sedan & Hatch 4 cyl.	CFFL-71			CFRL-72	CFRS-72	
2000-on	Sedan & Hatch 6 cyl.	CFFL-73			CFRL-72	CFRS-72	
2000-on	Sedan & Hatch 6 cyl.						
	Superlow option ##	CFFL-71			CFRL-72L		
2000-on	Stationwagon 4 cyl.	CFFL-71			CFRL-222	CFRS-222	
	PROBE						
1994-98	Probe	CFFL-208			CFRL-205		
	SIERRA						
1984-91	Sierra Stationwagon					CFRS-33 (7)	
1984-91	Sierra Stationwagon Ghia					CFRS-33G (9)	
Note	(7) Measure & advise O.E. coil specifications before ordering						
Note	(9) Rear shocks must be replaced on Ghia models with self levelling rear.						
	TAURUS						
1996-98	Taurus Ghia Sedan	CFFL-36			CFRL-36	CFRS-36	
	NOTE						
	## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
TELSTAR & TX5							
1983-87	AR-AS with std. struts.	CFFL-20	CFFS-20		CFRL-20	CFRS-20	
1983-87	AR-AS With or converted from adjustable struts	CFFL-24 (20)	CFFS-24 (20)		CFRL-24 (20)	CFRS-24 (20)	
NOTE (20) When changing from original electronic adjustable to non-adjustable struts the adjustable spring number should be used.							
1987-91	AT-AV Sedan incl. TX5	CFFL-206	CFFS-25		CFRL-25	CFRS-25	
1987-91	AT-AV Sedan incl. TX5 Superlow option ##	CFFL-46			CFRL-25L		
1987-97	AT-AV Station Wagon	CFFL-206	CFFS-25		CMRL-09	CMRS-09	
1991-on	Orion Sedan	CFFL-206	CFFS-25		CFRL-25	CFRS-25	
1992-94	AX Including TX5	CFFL-46	CFFS-25		CFRL-223	CFRS-27	
1994-97	AY Including TX5	CFFL-46	CFFS-25		CFRL-226	CFRS-27	
ZEPHYR							
MK 2	MK 2 Models		CFFS-19				
MK 3	MK 3 Models	CFFL-23	CFFS-23				
FORD 4WD & COMMERCIAL							
1977-85	Courier 2WD Petrol		CFFS-33				
1977-85	Courier 2WD Deisel		CFFS-34				
1985-2003	Courier 2WD		Torsion bars CTB-02			CLS-54 (43)	(Leaf springs)
1987-2005	Courier 4WD		Torsion bars CTB-03			CLS-50 (35)	(Leaf springs)
2005-on	Courier 4WD V6 Supercab		Torsion bars CTB-03			CLS-50 (35)	(Leaf springs)
NOTE (43) Fit with urethane bush kit CUK756A & CUBK453-1A U Bolt kit.							
NOTE (35) Fit with urethane bush kit CUK756 & CUBK453-1 U Bolt kit.							
ECONOVAN							
1979-89	Econovan Petrol		CFFS-35				
1979-89	Econovan Diesel		CFFS-200				
ESCAPE							
2001-on	Escape BA	CFFL-63		CFFH-63	CFRL-64	CFRS-64	CFRH-64
EXPLORER							
1996-2001	Explorer					CLS-53 (39)	(Leaf springs)
NOTE (39) Fit with urethane bush kit CUK760 & U Bolt kit CUBK674							
2001-on	Explorer UT 4WD Models			CFFH-65			CFRH-66
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
FALCON COMMERCIAL							
1966-80	XR-XD 6cyl Cast Head	CFFL-01 (1)	CFFS-01	CFFH-01	LB315 (38mm) LB320 (51mm)	*** (Lowering Blocks)	
1966-80	XR-XD 6cyl Cast Head Superlow option ##	CFFL-16 (1)			LEAF SPRING RESET		
1966-80	XR-XC 8cyl	CFFL-03 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1980-93	XD-XE-XF 6cyl Alloy Head	CFFL-224 (1)	CFFS-224	CFFH-224	LB315 (38mm) LB320 (51mm)	*** (Lowering Blocks)	
1980-93	XD-XE-XF 6cyl Alloy Head Superlow option ##	CFFL-225 (1)			LEAF SPRING RESET		
1979-82	XD-XE 8cyl (Cleveland)	CFFL-04 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1979-82	XD-XE 8cyl (Windsor)	CFFL-03 (1)	CFFS-03	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1993-96	XG Ute & Panelvan	CFFL-01 (1)	CFFS-01	CFFH-01	LB415 (38mm) LB420 (51mm)	*** (Lowering Blocks)	
1993-96	XG Ute & Panelvan Superlow option ##	CFFL-16 (1)			LEAF SPRING RESET		
1996-98	XH Ute & Panelvan 6 cyl.	CFFL-26	CFFS-26	CFFH-26	LB515 (38mm) LB520 (51mm)	*** (Lowering Blocks)	
1996-98	XH Ute & Panelvan 6 cyl. Superlow option ##	CFFL-26L (3)			LEAF SPRING RESET		
1996-98	XH Ute & Panelvan 8 cyl.	CFFL-27	CFFS-27	CFFH-26	LB515 (38mm) LB520 (51mm)	*** (Lowering Blocks)	
1996-98	XH Ute & Panelvan 8 cyl. Superlow option ##	CFFL-27L (3)			LEAF SPRING RESET		
NOTE	(1) Advisable to fit short shock in this application.						
NOTE	(3) Short bumpstops and deaerating washers should be fitted using these coils.						
NOTE	AU-BA Utes - When ordering rear leaf springs please advise if vehicle is 1 Ton ute. (Spring centrebolt will need changing)						
1999-02	AU Ute 6 & 8 cyl.	CFFL-55	CFFS-55	CFFH-55	CLS-45	CLS-46	(Leaf springs)
1999-02	AU Ute 6 & 8 cyl. Superlow option ##	CFFL-56			CLS-47	(Leaf Springs)	
1999-02	AU Ute XR6 / XR8	CFFL-56	CFFL-55	CFFS-55	CLS-47	CLS-45	CLS-46
2002-on	BA Ute 6 & 8 cyl.	CFFL-61	CFFS-61	CFFH-61	CLS-45	CLS-46	(Leaf springs)
2002-on	BA Ute 6 & 8 cyl. Superlow option ##	CFFL-56			CLS-47	(Leaf Springs)	
2002-on	BA Ute XR6 / XR8	CFFL-56	CFFL-55	CFFS-55	CLS-47	CLS-45	CLS-46
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
F SERIES 2WD							
1965-79	F100		CFFS-39 (7)				
1980-87	F100 & F150		CFFS-40 (7)				
1970-on	F250		CFFS-41 (7)				
1973-79	F350		CFFS-42 (7)				
1979-94	F350		CFFS-41 (7)				
F SERIES 4WD							
1977-80	F100 & F150		CFFS-43 (7)				
1980-89	F100		CFFS-40 (7)				
1977-90	F150 & F250		CFFS-41 (7)				
1978-95	Bronco 4WD		CFFS-40 (7)				
NOTE	(7) Check & advise original spring wire size and end diameters before ordering.						
TERRITORY							
2003-on	Territory AWD	CFFL-61	CFFH-55		CFRL-74	CFRS-74	
2003-on	Territory 2WD	CFFL-61	CFFH-55		CFRL-73	CFRS-73	
HILLMAN							
1967-78	Hunter		CHFS-07				
HOLDEN							
1953-56	FJ	CHFL-00	CHFS-00		LB115 (38mm)	*** (Lowering Blocks)	
					LB120 (51mm)	*** (Lowering Blocks)	
1956-59	FE & FC	CHFL-01	CHFS-01		LB115 (38mm)	*** (Lowering Blocks)	
					LB120 (51mm)	*** (Lowering Blocks)	
1960-65	FB, EK, EJ & EH	CHFL-02	CHFS-02		LB115 (38mm)	*** (Lowering Blocks)	
					LB120 (51mm)	*** (Lowering Blocks)	
1965-66	HD with king pin susp.	CHFL-02	CHFS-02		LB115 (38mm)	*** (Lowering Blocks)	
					LB120 (51mm)	*** (Lowering Blocks)	
1965-66	HD with balljoint susp.	CHFL-03	CHFS-03		LB115 (38mm)	*** (Lowering Blocks)	
					LB120 (51mm)	*** (Lowering Blocks)	
1966-67	HR Sedan & Wagon	CHFL-03	CHFS-03		LB215 (38mm)	*** (Lowering Blocks)	
					LB220 (51mm)	*** (Lowering Blocks)	
1968-71	HK,HT,HG 6cyl	CHFL-04	CHFS-04		LB215 (38mm)	*** (Lowering Blocks)	
					LB220 (51mm)	*** (Lowering Blocks)	
1968-71	HK,HT,HG V8	CHFL-05	CHFS-05		LB215 (38mm)	*** (Lowering Blocks)	
					LB220 (51mm)	*** (Lowering Blocks)	
1968-71	HK,HT,HG V8						
	Superlow option ##	CHFL-04				LEAF SPRING RESET	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
HOLDEN continued							
1971-79	HQ-HZ 6 cyl Sedan	CHFL-06	CHFS-06	CHFS-08	CHRL-06	CHRS-06	CHRS-07
1971-79	HQ-HZ 6 cyl.Sedan						
	Superlow option ##	CHFL-10			CHRL-10 (1)		
1971-79	HQ-HZ 6 cyl Wagon	CHFL-06	CHFS-06	CHFS-08	CHRL-07	CHRS-07	CHRH-07
1971-79	HQ-HZ 6 cyl Wagon						
	Superlow option ##	CHFL-10			CHRL-06		
1971-79	HQ-HZ 8 cyl Sedan	CHFL-08	CHFS-08	CHFS-09	CHRL-06	CHRS-06	CHRS-07
1971-79	HQ-HZ 8 cyl.Sedan						
	Superlow option ##	CHFL-06			CHRL-10 (1)		
1971-79	HQ-HZ 8 cyl Wagon	CHFL-08	CHFS-08	CHFS-09	CHRL-07	CHRS-07	CHRH-07
1971-79	HQ-HZ 8 cyl Wagon						
	Superlow option ##	CHFL-06			CHRL-06 (1)		
NOTE	(1) Advisable to fit short shock in this application.						
ADVENTRA							
2003-on	Adventra AWD Wagon	CHFL-231		CHF8-84	CHRL-232	CHRS-85	CHRH-85
ASTRA							
1984-87	LB & LC	CHFL-208	CHFS-208		CHRL-208	CHRS-208	
1987-89	LD	CHFL-209	CHFS-209		CHRL-209	CHRS-209	
1996-98	TR Sedan & Hatch	CHFL-35			CHRL-31		
1998-05	TS Sedan & Hatch	CHFL-36			CHRL-36		
2004-on	AH	CHFL-83			CHRL-229		
BARINA							
1989-94	MF-MH	CHFL-34	CHFS-34		CHRL-34	CHRS-34	
1994-00	SB 3 & 5 Door	CHFL-33	CHFS-33		CHRL-33	CHRS-33	
2001-	XC 3 & 5 Door	CHFL-82			CHRL-230	CHRS-230	
CAMIRA							
1982-89	JB,JD,JE. Sedan	CHFL-13	CHFS-210			CHRS-16	
1983-89	JB,JD,JF Wagon	CHFL-13	CHFS-210			CHRS-17	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
HOLDEN COMMODORE							
COMMODORE SEDAN WITH LIVE AXLE REAR FOR HSV MODELS - REFER TO HOLDEN SPECIAL VEHICLES							
1978-86	VB-VK Sedan 6 cyl.	CHFL-18 (1)	CHFS-18	CHFS-14	CHRL-12 (1)	CHRS-12	CHRH-12
1978-86	VB-VK 6 cyl. Superlow option ##	CHFL-18L (1)			CHRL-18L (2)		
1978-86	VB-VK Sedan 8 cyl.	CHFL-14 (1)	CHFS-14	CHFHH-12	CHRL-12 (1)	CHRS-12	CHRH-12
1978-86	VB-VK 8 cyl. Superlow option ##	CHFL-15L (1)			CHRL-18L (2)		
1986-93	VL-VP Sedan 6 cyl.	CHFL-18 (1)	CHFS-18	CHFS-14	CHRL-18L (2)	CHRS-18	CHRS-12
1986-93	VL-VP 6 cyl. Superlow option ##	CHFL-18L (1)			CHRL-19 (2)		
1986-93	VL-VP Sedan 8 cyl.	CHFL-14 (1)	CHFS-14	CHFHH-12	CHRL-18L (2)	CHRS-18	CHRS-12
1986-93	VL-VP Sedan 8 cyl. Superlow option ##	CHFL-15L (1)			CHRL-19 (2)		
1986-93	VL-VP 8 cyl. SS & HSV Low ##	CHFL-15L (1)			CHRL-19 (2)		
1993-97	VR & VS 6 cyl Sedan	CHFL-15 (1)	CHFS-14	CHFHH-12	CHRL-18L (2)	CHRS-18	CHRS-12
1993-97	VR & VS 8 cyl. Sedan	CHFL-20 (1)	CHFS-20	CHFHH-12	CHRL-18L (2)	CHRS-18	CHRS-12
1993-97	VR-VS 6 cyl. Superlow option ##	CHFL-15L (1)			CHRL-19 (2)		
1993-97	VR-VS 8 cyl. Superlow SS & HSV Low ##	CHFL-15 (1)			CHRL-19 (2)		
NOTE	For vehicles with FE2 suspensions please advise before ordering.						
NOTE	(1) Advisable to fit short shock in this application.						
NOTE	(2) Short shock must be fitted to retain coils..						
COMMODORE SEDAN WITH INDEPENDANT REAR SUSPENSION FOR HSV MODELS - REFER TO HOLDEN SPECIAL VEHICLES							
1991-93	VP Sedan 6 cyl.	CHFL-18 (1)	CHFS-18	CHFS-14	CHRL-21 (8)	CHRS-21	CHRH-14
1991-93	VP Sedan 6 cyl. Superlow option ##	CHFL-18L (1)			CHRL-21L (8)		
1991-93	VP Sedan 8 cyl.	CHFL-14 (1)	CHFS-14	CHFHH-12	CHRL-21 (8)	CHRS-21	CHRH-14
1991-93	VP Sedan 8 cyl. Superlow option ##	CHFL-15L (1)			CHRL-21L (8)		
1993-97	VR & VS Sedan V6	CHFL-15 (1)	CHFS-14	CHFHH-12	CHRL-21 (8)	CHRS-21	CHRH-14
1993-97	VR, VS V6 Superlow option ##	CHFL-15L (1)			CHRL-21L (8)		
NOTE	For vehicles with FE2 suspensions please advise before ordering.						
NOTE	(1) Advisable to fit short shock in this application.						
NOTE	(8) Rear camber adjustment kits should be fitted to all independant (IRS) Commodores when lowered coils are fitted.						
NOTE	## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
COMMODORE SEDAN WITH INDEPENDANT REAR SUSPENSION continued							
FOR HSV MODELS - REFER TO HOLDEN SPECIAL VEHICLES							
1993-97	VR & VS Sedan V8	CHFL-20 (1)	CHFS-20	CHFH-12	CHRL-21 (8)	CHRS-21	CHRH-14
1993-97	VR,VS V8 Superlow & SS low ##	CHFL-15 (1)			CHRL-21L (8)		
1997-05	VT, VX, VY & VZ V6	CHFL-15	CHFS-14	CHFH-12	CHRL-210 (8)	CHRS-210	CHRH-210
1997-05	VT, VX, VY & VZ Superlow option ##	CHFL-15L			CHRL-205 (8)		
1997-05	VT, VX, VY & VZ V8 (Holden motor)	CHFL-20	CHFS-20	CHFH-12	CHRL-210 (8)	CHRS-210	CHRH-210
1997-05	VT, VX, VY & VZ Sedan V8 (Holden motor) ## Superlow & SS / HSV low	CHFL-233 (21)			CHRL-205 (8)		
1997-05	VT, VX, VY & VZ V8 (Alloy V8)	CHFL-15	CHFS-14	CHFH-12	CHRL-210 (8)	CHRS-210	CHRH-210
1997-05	VT, VX, VY & VZ Sedan V8 (Alloy V8) Superlow & SS / HSV low ##	CHFL-234 (21)			CHRL-205 (8)		
NOTE	For vehicles with FE2 suspensions please advise before ordering.						
NOTE	(1) Advisable to fit short shock in this application.						
NOTE	(8) Rear camber adjustment kits should be fitted to all independant (IRS) Commodores when lowered coils are fitted.						
NOTE	(21) For HSV V8 models with factory fitted 19" wheels part number CHFL-15L must be fitted to lower front.						
COMMODORE WAGON							
1978-93	VB-VP 6 cyl.	CHFL-18 (1)	CHFS-18	CHFS-14	CHRL-22 (1)	CHRS-22	CHRH-22
1978-93	VB-VP 6 cyl. Superlow option ##	CHFL-18L (1)			CHRL-22L (2)		
1978-93	VB-VP 8 cyl.	CHFL-14 (1)	CHFS-14	CHFH-12	CHRL-22 (1)	CHRS-22	CHRH-22
1978-93	VB-VP 8 cyl. Superlow option ##	CHFL-15L (1)			CHRL-22L (2)		
1993-97	VR-VS 6 cyl.	CHFL-15 (1)	CHFS-14	CHFH-12	CHRL-23 (1)	CHRS-23	CHRH-23
1993-97	VR-VS 6 cyl. Superlow option ##	CHFL-15L (1)			CHRL-23L (2)		
1993-97	VR-VS 8 cyl.	CHFL-20 (1)	CHFS-20	CHFH-12	CHRL-23 (1)	CHRS-23	CHRH-23
1993-97	VR-VS 8 cyl. Superlow option ##	CHFL-15 (1)			CHRL-23L (2)		
1997-05	VT, VX, VY & VZ V6	CHFL-15	CHFS-14	CHFH-12	CHRL-24 (8)	CHRS-24	CHRH-24
1997-05	VT, VX, VY & VZ V6 Superlow option ##	CHFL-15L			CHRL-235 (8)		
NOTE	For vehicles with FE2 suspensions please advise before ordering.						
NOTE	(1) Advisable to fit short shocks in this application.						
NOTE	(2) Short shock must be fitted to retain coils.						
NOTE	(8) Rear camber adjustment kits should be fitted to all independant (IRS) Commodores when lowered coils are fitted.						
NOTE	## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
COMMODORE WAGON continued							
1997-05	VT, VX, VY & VZ V8 (Holden motor)	CHFL-20	CHFS-20	CHF-12	CHRL-24 (8)	CHRS-24	CHR-24
1997-05	VT, VX, VY & VZ V8 (Holden motor)						
	Superlow option ##	CHFL-233			CHRL-235 (8)		
1997-05	VT, VX, VY & VZ V8 (Alloy V8)	CHFL-15	CHFS-14	CHF-12	CHRL-24 (8)	CHRS-24	CHR-24
1997-05	VT, VX, VY & VZ V8 (Alloy V8)						
	Superlow option ##	CHFL-234			CHRL-235 (8)		
NOTE	For vehicles with FE2 suspensions please advise before ordering.						
NOTE	(8) Rear camber adjustment kits should be fitted to all independant (IRS) Commodores when lowered coils are fitted.						
HOLDEN SPECIAL VEHICLES							
1979-84	VB, VC & VH Group A, Brock Special	CSVFL-01 (2)	CSVFS-01		CSVRL-01 (2)	CSVRS-01	
1984-88	VK & VL Group A, Brock Special	CSVFL-01 (2)	CSVFS-01		CSVRL-01 (2)	CSVRS-01	
1988-91	SV3800 VN	CSVFL-02 (2)	CSVFS-01		CSVRL-01 (2)	CSVRS-01	
1988-91	SV89-91, SV5000, SV LE	CSVFL-01 (2)	CSVFS-01		CSVRL-01 (2)	CSVRS-01	
1990-91	Club Sport VN	CSVFL-01 (2)	CSVFS-01		CSVRL-02 (2)	CSVRS-01	
1991-93	Club Sport VP with IRS	CSVFL-01 (2)	CSVFS-01		CSVRL-03 (8)	CSVRS-03	
1992-93	GTS, Senator, 5000 VP	CSVFL-01 (2)	CSVFS-01		CSVRL-03 (8)	CSVRS-03	
1993-97	VR-VS 185 & 215I Statesman / Caprice	CSVFL-03 (2)			CHRL-205 (8)	CHRS-205	
1993-97	VR-VS Clubsport, GTS, Senator	CSVFL-03 (2)	CSVFS-03		CSVRL-03 (8)	CSVRS-03	
1997-05	VT, VX, VY & VZ Sedan Clubsport, SS, R8, GTS, Senator V8 (Holden motor)	CHFL-233 (21)			CHRL-205 (8)		
1997-05	VT, VX, VY & VZ Sedan Clubsport, SS, R8, GTS, Senator V8 (Alloy V8)	CHFL-234 (21)			CHRL-205 (8)		
NOTE	(2) Short shock must be fitted to retain coils.						
NOTE	(8) Rear camber adjustment kits should be fitted to all independant (IRS) Commodores when lowered coils are fitted.						
NOTE	(21) For HSV V8 models with factory fitted 19" wheels part number CHFL-15L must be fitted to lower front.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
GEMINI							
1975-77	TX Sedan & Coupe Model A8B	CHFL-26	CHFS-26		CHRL-26	CHRS-26	
1975-77	TX Sedan & Coupe Model A8C	CHFL-203	CHFS-27		CHRL-26	CHRS-26	
1977-79	TC & TD Sedan & Coupe	CHFS-26	CHFS-27		CHRL-26	CHRS-26	
1979-82	TE Sedan & Coupe	CHFL-28	CHFS-28		CHRL-26	CHRS-26	
1982-85	TF & TG Sedan & Coupe	CHFL-203	CHFS-27		CHRL-26	CHRS-26	
1975-85	TX-TG Wagon / Panel Van	FRONT AS FOR SEDANS			CHRL-27	CHRL-19	
1985-87	RB F.W.D	CHFL-204	CHFS-204		CHRL-28	CHRS-28	
MONARO							
1968-71	HT, HK & HG Monaro V8	CHFL-05	CHFS-05		LB215 (38mm) LB220 (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
1971-79	HQ-HZ Monaro 6 cyl.	CHFL-10	CHFL-06		CHRL-10 (1)	CHRL-06	
1971-79	HQ-HZ Monaro V8	CHFL-06	CHFL-08		CHRL-10 (1)	CHRL-06	
2001-on	CV6 Monaro (22)	CHFL-15L	CHFL-15		CHRL-21L		
2001-on	CV8 Monaro (22)	CHFL-15 (21)	CHFL-20		CHRL-21L		
NOTE (1) Advisable to fit short shocks in this application.							
NOTE (21) For HSV V8 models with factory fitted 19" wheels part number CHFL-15L must be fitted to lower front.							
NOTE (22) Lowered coils for Monaro will lower approx 15-20mm only as vehicle is already factory lowered.							
STATESMAN							
1971-85	HQ-WB Statesman 8 cyl.	CHFL-08	CHFS-09		CHRL-06	CHRS-07	CHRH-07
1971-85	HQ-WB Statesman 8 cyl. Superlow option ##	CHFL-06			CHRL-10 (1)		
1990-91	VQ V8 with live axle rear	CHFL-14 (1)	CHFS-14		CHRL-18L (2)	CHRS-18	
1990-91	VQ V8 with live axle rear Superlow option ##	CHFL-15L (1)			CHRL-19 (2)		
1992-93	VQ V8 with IRS	CHFL-14 (1)	CHFS-14		CHRL-205 (8/4)	CHRS-205 (4)	CHRH-205 (4)
1992-93	VQ V8 with IRS Superlow option ##	CHFL-15L (1)			CHRL-211 (8/4)		
1994-99	VR, VS	CHFL-20 (1)	CHFS-20	CHF-12	CHRL-205 (8/4)	CHRS-205 (4)	CHRH-205 (4)
1994-99	VR, VS Superlow option ##	CHFL-15 (1)			CHRL-211 (8/4)		
1999-00	WH 6 cyl.	CHFL-15 (1)	CHFS-14	CHF-12	CHRL-21 (8/4)	CHRS-24 (4)	CHRH-24 (4)
1999-00	WH 5.0 ltr. V8	CHFL-20 (1)	CHFS-20	CHF-12	CHRL-21 (8/4)	CHRS-24 (4)	CHRH-24 (4)
1999-00	WH 5.7 ltr. V8	CHFL-15 (1)	CHFS-14	CHF-12	CHRL-21 (8/4)	CHRS-24 (4)	CHRH-24 (4)
NOTE (1) Advisable to fit short shocks in this application.							
NOTE (2) Short shock must be fitted to retain coils.							
NOTE (8) Rear camber adjustment kits should be fitted when lowered coils installed.							
NOTE (4) For self levelling type rear shock models replace shocks with appropriate conventional part number.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
SUNBIRD							
1976-80	LX-UC	CHFL-29	CHFS-29		CHRL-29	CHRS-29	CHRH-29
TORANA							
1969-74	LC & LJ 6 Cylinder	CHFL-30	CHFS-30	CHF-30	CHRL-30 (23)	CHRS-30 (23)	CHRH-30 (23)
1969-74	LC & LJ fitted with V8	CHFS-30	CHF-30		CHRL-30 (23)	CHRS-30 (23)	CHRH-30 (23)
NOTE (23) Top sandwich plate must be removed from O.E spring by grinding out inner sleeve.							
1974-78	LH-UC 4 & 6 cyl. except SS & SLR	CHFL-29	CHFS-29		CHRL-29	CHRS-29	CHRH-29
1974-78	LH-UC V8 all except SS, SLR & SLR5000	CHFL-31	CHFS-31		CHRL-29	CHRS-29	CHRH-29
1974-78	LH-LX 6 cyl. SS & SLR		CHFL-29	CHFS-29		CHRL-29	CHRS-29
1974-78	LH-LX V8 SS & SLR5000		CHFL-31	CHFS-31		CHRL-29	CHRS-29
VECTRA							
1997-03	Vectra JR-JS 4 cyl.	CHFL-237			CHRL-32	CHRS-32	
1997-03	Vectra JR-JS V6.	CHFL-238			CHRL-32	CHRS-32	
2003-05	Vectra XC 4 cyl.	CHFL-239			CHRL-241		
2003-05	Vectra XC 6 cyl.	CHFL-240			CHRL-241		
HOLDEN 4WD & COMMERCIAL							
1960-65	FB-HD Ute & Panel Van with king pin suspension	CHFL-02	CHFS-02		LB115 (38mm) LB120 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1965-66	HD Ute & Panel Van with ball joint suspension	CHFL-03	CHFS-03		LB115 (38mm) LB120 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1965-68	HR Ute & Panel Van	CHFL-03	CHFS-03		LB215 (38mm) LB220 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1968-71	HK-HG 6 cyl. Ute & Panel Van	CHFL-04	CHFS-04		LB215 (38mm) LB220 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1968-71	HK-HG 8 cyl. Ute & Panel Van	CHFL-05	CHFS-05		LB215 (38mm) LB220 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1971-85	HQ-WB 6 cyl. Ute, Panel Van & 1 Ton	CHFL-06	CHFS-08	CHFS-09	LB215 (38mm) LB220 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
1971-85	HQ-WB 8 cyl. Ute, Panel Van & 1 Ton	CHFL-08	CHFS-09		LB215 (38mm) LB220 (51mm)	*** (Lowering Blocks)	*** (Lowering Blocks)
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
COMMODORE UTE							
1990-93	VG 6 cyl. (Light use)	CHFL-18 (1)	CHFS-14	CHFHH-12	CHRL-23 (24)	CHRS-25	CHRH-25
1990-93	VG 6 cyl. (Heavy use)	CHFL-18 (1)	CHFS-14	CHFHH-12	CHRL-23H (25)	CHRS-25	CHRH-25
1990-93	VG 6 cyl. (Light use)						
	Superlow option ##	CHFL-15L (1)			CHRL-23L (24)		
1990-93	VG 6 cyl. (Heavy use)						
	Superlow option ##	CHFL-15L (1)			CHRL-86 (25)		
1990-93	VG 8 cyl. (Light use)	CHFL-14 (1)	CHFHH-12		CHRL-23 (24)	CHRS-25	CHRH-25
1990-93	VG 8 cyl. (Heavy use)	CHFL-14 (1)	CHFHH-12		CHRL-23H (25)	CHRS-25	CHRH-25
1990-93	VG 8 cyl. (Light use)						
	Superlow option ##	CHFL-15 (1)			CHRL-23L (24)		
1990-93	VG 8 cyl. (Heavy use)						
	Superlow option ##	CHFL-15 (1)			CHRL-86 (25)		
1993-97	VR-VS 6 cyl. (Light use)	CHFL-15 (1)	CHFS-20	CHFHH-12	CHRL-23 (24)	CHRS-25	CHRH-25
1993-97	VR-VS 6 cyl. (Heavy use)	CHFL-15 (1)	CHFS-20	CHFHH-12	CHRL-23H (25)	CHRS-25	CHRH-25
1993-97	VR-VS 6 cyl. (Light use)						
	Superlow option ##	CHFL-15L (1)			CHRL-23L (24)		
1993-97	VR-VS 6 cyl. (Heavy use)						
	Superlow option ##	CHFL-15L (1)			CHRL-86 (25)		
1993-97	VR-VS 8 cyl. (Light use)	CHFL-14 (1)	CHFHH-12		CHRL-23 (24)	CHRS-25	CHRH-25
1993-97	VR-VS 8 cyl. (Heavy use)	CHFL-14 (1)	CHFHH-12		CHRL-23H (25)	CHRS-25	CHRH-25
1993-97	VR-VS 8 cyl. (Light use)						
	Superlow option ##	CHFL-15 (1)			CHRL-23L (24)		
1993-97	VR-VS 8 cyl. (Heavy use)						
	Superlow option ##	CHFL-15 (1)			CHRL-86 (25)		
2001-on	VU-VZ 6 cyl. (Light use)	CHFL-15	CHFS-20	CHFHH-12	CHRL-213 (24)	CHRS-213	CHRH-213
2001-on	VU-VZ 6 cyl. (Heavy use)	CHFL-15	CHFS-20	CHFHH-12	CHRL-87 (25)	CHRS-213	CHRH-213
2001-on	VU-VZ 6 cyl.						
	Superlow option ##	CHFL-15L			CHRL-214 (26)		
2001-on	VU-VZ 8 cyl. (Light use)	CHFL-20	CHFS-20	CHFHH-12	CHRL-213 (24)	CHRS-213	CHRH-213
2001-on	VU-VZ 8 cyl. (Heavy use)	CHFL-20	CHFS-20	CHFHH-12	CHRL-87 (25)	CHRS-213	CHRH-213
2001-on	VU-VZ 8 cyl.						
	Superlow option ##	CHFL-15			CHRL-214 (26)		
2003-on	VY- I Tonner V6	CHFL-15	CHFHH-12		LB225 (38mm)	*** (Lowering Blocks)	
					LB226 (51mm)	*** (Lowering Blocks)	
2003-on	VY- I Tonner V6						
	Superlow option ##	CHFL-15L			CLS-57 (126)	(Leaf springs)	
2003-on	VY- I Tonner V8	CHFL-14	CHFHH-12		LB225 (38mm)	*** (Lowering Blocks)	
					LB226 (51mm)	*** (Lowering Blocks)	
2003-on	VY- I Tonner V8						
	Superlow option ##	CHFL-15			CLS-57 (126)	(Leaf springs)	
2003-on	Crewman V6						
	lowering block option	CHFL-242	CHFS-242		LB225 (38mm)	*** (Lowering Blocks)	
					LB226 (51mm)	*** (Lowering Blocks)	
NOTE (1) Advisable to fit short shocks in this application.							
NOTE (24) Light carrying capacity option							
NOTE (25) Heavy carrying capacity option							
NOTE (26) Not to be used for load carrying							
NOTE (126) Approx. 80mm drop. Castor wedges may be required to correct diff angle.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
COMMODORE UTE continued							
2003-on	Crewman V6						
	low rear leaf springs option	CHFL-242	CHFS-242		CLS-57A (127)	(Leaf springs)	
2003-on	Crewman V6						
	Superlow option ##	CHFL-242L			CLS-58 (128)	(Leaf springs)	
2003-on	Crewman V8						
	lowering block option	CHFL-243	CHFS-243		LB225 (38mm)	*** (Lowering Blocks)	
					LB226 (51mm)	*** (Lowering Blocks)	
2003-on	Crewman V8						
	low rear leaf springs option	CHFL-243	CHFS-243		CLS-57A (127)	(Leaf springs)	
2003-on	Crewman V8						
	Superlow option ##	CHFL-243L			CLS-58 (128)	(Leaf springs)	
2003-on	Crewman Cross 8	CHFL-246					
					LB225 (38mm)	*** (Lowering Blocks)	
					LB226 (51mm)	*** (Lowering Blocks)	
NOTE (127) Approx. 50mm drop. Castor wedges may be required to correct diff angle.							
NOTE (128) Approx. 65mm drop. Castor wedges may be required to correct diff angle.							
JACKAROO / BIGHORN							
1981-87	UBS 13 & 16						
	Comfort option rear	Torsion bars CTB-03 (926mm) (28)				CLS-01 (33)	(Leaf springs)
1981-87	UBS 13 & 16						
	Heavy Duty option rear					CLS-01C (33)	(Leaf springs)
1987-92	UBS 16,17,52 & 55						
	Comfort option rear	Torsion bars				CLS-01 (33)	(Leaf springs)
		CTB-04 (996mm-36mm spline) (28)					
		CTB-05 (1000mm-32.9mm spline) (28)					
1987-92	UBS 16,17,52 & 55						
	Heavy Duty option rear					CLS-01C (33)	(Leaf springs)
1992-00	V6 Petrol & Deisel						
		Torsion bars				CHRS-40	CHRH-40
		CTB-16 (1220mm) (28)					
		CTB-04 (996mm-36mm spline) (28)					
1992-00	V6 Petrol & Deisel						
	Extra H/Duty option rear						CHRH-40H
NOTE (28) Measure torsion bar size before ordering.							
NOTE (33) Models with 18mm front pin-fit with CUK312 urethane bush kit & CUBK451 U Bolt kit.							
Models with 14mm front pin-fit with CUK747 urethane bush kit & CUBK451 U Bolt kit							
RODEO							
1972-81	Rodeo 2WD				LB411 (102)		
1981-on	Rodeo 2WD (see note 40)				LB411 (101)	CLS-75 (40)(32)	(Leaf springs)
1979-81	Rodeo 4WD KB40				LB411 (102)		
NOTE (32) Models with 18mm front pin-fit with urethane bush kit CUK312 & U Bolt kit CUBK453-3							
Models with 14mm front pin-fit with urethane bush kit CUK728 & U Bolt kit CUBK453-3							
NOTE (40) Suits models with 60mm wide spring. Fixed eye 40mm O/D bush/rear eye 30mm O/D bush.							
Main leaf measures 550mm fixed eye centre to c/bolt & 650mm c/bolt to rear eye centre.							
NOTE (101) 51mm Lowering blocks - suits models with 85mm I.D U bolts. For models with 75mm U bolts fit LB412. Advisable to check O.E U bolt & centerbolt head dimensions before ordering as these can vary.							
NOTE (102) 51mm Lowering blocks - suits models with 85mm I.D U bolts. Advisable to check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
RODEO continued							
1981-83	Rodeo 4WD KB4 & KD4				LB411 (102)	CLS-01 (32)	(Leaf springs)
1983-88	Rodeo 4WD KB4 & KD4	Torsion bars CTB-03 (926mm)			LB411 (102)	CLS-01 (32)	(Leaf springs)
1988-03	Rodeo 4WD TFS, R7, R9	Torsion Bars CTB-05 (1000mm)			LB411 (102)	CLS-01 (32)	(Leaf springs)
1988-96	Rodeo 2WD TFR Series	Torsion Bars CTB-05 (1000mm)			LB411 (102)		
1996-on	Rodeo 2WD R7-R9				LB411 (102)		
2006-on	Rodeo 2WD LT					CLS-76	
NOTE (32) Models with 18mm front pin-fit with urethane bush kit CUK312 & U Bolt kit CUBK453-3 Models with 14mm front pin-fit with urethane bush kit CUK728 & U Bolt kit CUBK453-3							
NOTE (102) 51mm Lowering blocks - suits models with 85mm I.D U bolts. Advisable to check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
HONDA							
ACCORD							
1983-85	Accord AC/AD	CHFL-61	CHFS-61		CHRL-61 (29)	CHRS-61 (29)	
1986-89	Accord CA4/CA5	CHFL-62 (30)	CHFS-62 (30)		CHRL-62 (29)	CHRS-62 (29)	
	or	CHFL-62A	CHFS-62A				
Check & advise O.E. coil measurements before ordering.							
NOTE (29) CHRL-61 / CHRS-61 are 92mm I/D reducing to 84mm I/D. CHRL-62 / CHRS-62 are 82mm parallel.							
NOTE (30) CHFL-62 / CHFS-62 are 74mm I/D reducing to 62mm eye. CHFL-62A / CHFS-62A are 62mm parallel.							
1989-97	Accord CB & CD5 Sedan	CHFL-61	CHFS-61		CHRL-61	CHRS-61	
1989-97	Accord CB & CD5 Sedan						
	Superlow option ##	CHFL-61L (52)			CHRL-61L (52)		
1991-96	Accord CB9-CE1 Wagon						
	(including USA built)	CHFL-251	CHFS-251		CHRL-251	CHRS-88	
1997-on	Accord / Torneo CF 3/4/5	CHFL-262			CHRL-95		
1997-on	Accord CF6/7 Wagon	CHFL-247			CHRL-248		
1997-03	Accord CG,CK 4 cyl.	CHFL-63			CHRL-63		
1997-03	Accord CG,CK 6 cyl.	CHFL-64			CHRL-63		
2003-on	Accord CM 4 cyl.	CHFL-89A			CHRL-90		
2003-on	Accord CM V6	CHFL-89			CHRL-90		
1994-96	Ascot CE4/5 5 cyl. models	CHFL-249	CHFS-249		CHRL-250	CHRS-250	
1990-95	Inspire/Vigor CC2/CC3						
	5 cyl. models.	CHFL-252	CHFS-252		CHRL-252	CHRS-252	
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
CIVIC							
1980-83	Civic ASL	CFFL-15	CFFS-15		CHRL-74	CHRS-74	
1984-87	Civic AG-AM	Adjustable torsion bar			CHRL-65	CHRS-65	
1988-91	Civic ED-EF	CHFL-66	CHFS-66		CHRL-66	CHRS-66	
1988-91	Civic ED-EF						
	Superlow option ##	CHFL-66SL			CHRL-66SL		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
HONDA CIVIC continued							
1991-95	Civic EG-EH	CHFL-67	CHFS-67		CHRL-66	CHRS-66	
1991-95	Civic EG-EH						
	Superlow option ##	CHFL-67SL			CHRL-66SL		
1991-95	Civic EH 4WD	CHFL-67			CHRL-66		
1995-00	Civic EJ, EK, EM	CHFL-210			CHRL-68		
1995-00	Civic EJ, EK, EM						
	Superlow option ##	CHFL-67			CHRL-66		
2000-on	Civic ES, EU	CHFL-78			CHRL-78		
CRV							
1996-on	CRV, RD 4 Door Wagon	CHFL-69	CHFS-69	CHF-69	CHRL-69	CHRS-69	CHRH-69
CRX							
1984-87	CRX AE, AF & AS	Adjustable torsion bar			CHRL-65	CHRS-65	
1987-6/92	CRX ED	CHFL-66	CHFS-66		CHRL-66	CHRS-66	
1987-6/92	CRX ED						
	Superlow option ##	CHFL-66SL			CHRL-66SL		
7/92-98	CRX EG	CHFL-67	CHFS-67		CHRL-66	CHRS-66	
7/92-98	CRX EG						
	Superlow option ##	CHFL-67SL			CHRL-66SL		
DOMANI							
1992-96	Domani MA4, 5, 6 Sedan	CHFL-67	CHFS-67		CHRL-66	CHRS-66	
HRV							
1999-on	HRV GH	CHFL-253		CHF-79	CHRL-254		CHRH-79
INTEGRA							
1985-5/89	Integra DA3, 4	Adjustable torsion bar			CHRL-65	CHRS-65	
6/89-93	Integra DA 5, 6, 7, 8, 9	CHFL-70	CHFS-70		CHRL-70	CHRS-70	
1993-02	Integra DB, DC	CHFL-71	CHFS-71		CHRL-66	CHRS-66	
1993-02	Integra DB, DC						
	Superlow option ##	CHFL-67			CHRL-66SL		
2002-on	Integra DC5	CHFL-78			CHRL-78		
JAZZ							
2002-on	Jazz GD	CHFL-257			CHRL-93		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
LEGEND							
1992-on	Legend KA7 Sedan					CHRS-212	
ODYSSEY							
1995-00	Odyssey RA	CHFL-80	CHFS-80		CHRL-80	CHRS-80	
PRELUDE							
1979-82	Prelude SN	CFFL-15	CFFS-15		CHRL-74	CHRS-74	
1983-87	Prelude AB - BA3	CHFL-75	CHFS-75		CHRL-75	CHRS-75	
1987-91	Prelude BA4 (inc. 4WS)	CHFL-75A	CHFS-75A		CHRL-76	CHRS-76	
1992-99	Prelude BB-BA8	CHFL-77	CHFS-77		CHRL-77	CHRS-77	
1999-on	S2000 AP	CHFL-91			CHRL-92		
HYUNDAI							
2000-on	Accent Sedan & Hatch	CHFL-108			CHRL-215	CHRS-215	
1990-96	'S' Coupe	CHFL-205	CHFS-202		CHRL-100	CHRS-206	
1996-99	Coupe (J2) RD Series	CHFL-101			CHRL-101		
2000-on	Elantra	CHFL-101			CHRL-94	CHRS-94	
1986-89	Excel Hatch	CHFL-217	CHFS-217		CHRL-217	CHRS-206	
1989-94	Excel X2 All models	CHFL-200	CHFS-200		CHRL-218	CHRS-206	
1994-97	Excel Hatch X3	CHFL-205	CHFS-202		CHRL-102	CHRS-102	
1997-00	Excel Hatch X3 (Conical rear coil)	CHFL-205	CHFS-202		CHRL-103 (125)	CHRS-103 (125)	
2002-on	Getz	CHFL-255			CHRL-256		
1999-00	Grandure XG	CHFL-109			CHRL-109	CHRS-226	
1991-95	Lantra 1.6L Sedan J1	CHFL-201	CHFS-201		CHRL-102	CHRS-108	
1995-00	Lantra 1.8L Sedan J2	CHFL-101	CHFS-101		CHRL-104	CHRS-104	
1995-00	Lantra 1.8L Wagon J2	CHFL-101	CHFS-101		CHRL-105	CHRS-202	CHRR-219
2002-on	Lavita	CHFL-258			CHRL-259	CHRS-259	
2000-on	Sante Fe	CHFL-110		CHFR-110	CHRL-111		CHRR-111
1991-93	Sonata V6	CHFL-220	CHFS-220		CHRL-203	CHRS-203	
7/93-4/98	Sonata 4 cyl. CF & DF	CHFL-207	CHFS-221		CHRL-221	CHRS-106	CHRH-106
7/93-4/98	Sonata V6 CF & DF	CHFL-222	CHFS-222		CHRL-222	CHRS-106	CHRH-106
1998-00	Sonata V6 EF Sedan	CHFL-107			CHRL-107	CHRS-223	
2000-on	Sonata EF-B (EM)	CHFL-107			CHRL-225		
1983-on	Stella				CFRL-12	CFRS-12	CFRH-12
2002-on	Terracan					CHRS-224	CHRR-224
2004-on	Tucson AWD Wagon			CHFL-260			CHRH-260
NOTE (125) Suits model with conical shaped rear springs							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
ISUZU							
BIGHORN / TROOPER							
1981-87	UBS 13 & 16						
	Comfort option rear	Torsion bars CTB-03 (926mm) (28)				CLS-01C (33)	(Leaf springs)
1981-87	UBS 13 & 16						
	Heavy Duty option rear					CLS-01 (33)	(Leaf springs)
1987-92	UBS 16,17,52 & 55						
	Comfort option rear	Torsion bars CTB-04 (996mm-36mm spline) (28) CTB-05 (1000mm-32.9mm spline) (28)				CLS-01C (33)	(Leaf springs)
1987-92	UBS 16,17,52 & 55						
	Heavy Duty option rear					CLS-01 (33)	(Leaf springs)
1992-00	V6 Petrol & Deisel						
		Torsion bars CTB-16 (1220mm) (28) CTB-05 (1000mm-32.5mm spline) (28)				CHRS-40	CHRH-40
1992-00	V6 Petrol & Deisel						
	Extra H/Duty option rear						CHRH-40H
NOTE	(28) Measure torsion bar size before ordering.						
NOTE	(33) Models with 18mm front pin-fit with CUK312 urethane bush kit & CUBK451 U Bolt kit. Models with 14mm front pin-fit with CUK747 urethane bush kit & CUBK451 U Bolt kit						
MU / WIZARD							
1991-95	Mu	Torsion Bars CTB-05 (1000mm)				CLS-01C (34)	(Leaf springs)
1991-95	Mu Lowering blocks				LB421 (38mm) LB422 (51mm)	***Lowering Blocks	
NOTE	(34) Must fit with U Bolt kit CUBK416						
1999-on	Wizard					CHRS-41	CHRH-41
JAGUAR							
1967-69	3.4, 3.8		CJFS-05 (12)				
1968-86	XJ6 Series 1, 2, 3	CJFL-01 (12)	CJFS-01 (12)		CJRL-01 (13)	CJRS-01 (13)	
1968-86	XJ6 Series 1, 2, 3 fitted with Chev motor.	CJFL-02 (12)	CJFS-02 (12)		CJRL-01 (13)	CJRS-01 (13)	
1974-92	XJ V12 & XJS	CJFL-03 (12)	CJFS-03 (12)		CJRL-01 (13)	CJRS-01 (13)	
1985-94	XJ40 TF Sovereign (non-adjustable rear only)	CJFL-04			CJRL-201		
NOTE	(12) Remove all shims from wishbone before installing replacement coils						
NOTE	(13) Vehicle requires 2 coils per side						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
JEEP							
1993-01	Cherokee XJ		CJFS-20	CJFH-21 (41)		CLS-02 (31) (Leaf springs)	CLS-02H (31/41) (Leaf springs)
	NOTE (31) Fit with urethane bush kit CUK762 & U Bolt kit CUBK512						
	NOTE (41) Long travel shocks recommended.						
2001-on	Cherokee KJ			CJFH-24			CJRH-24
1996-99	Grand Cherokee ZG		CJFS-20	CJFH-21 (41)		CJRS-21	CJRH-21
	NOTE (41) Long travel shocks recommended.						
1999-04	Grand Cherokee WJ	CJFL-23	CJFS-23	CJFH-23	CJRL-23	CJRS-23	CJRH-23
1999-04	Grand Cherokee fitted with bullbar & winch		CJFH-23			CJRS-23	CJRH-23
1996-03	Wrangler		CJFS-22	CJFH-22		CJRS-22	CJRH-22
1996-03	Wrangler 50mm Lift			CJFH-25			CJRH-25
KIA							
1999-on	Carnival	CKFL-03			CKRL-03	CKRS-03	
1998-01	Credos	CKFL-204			CKRL-202	CKRS-202	
1997-98	Mentor FA	CKFL-203			CKRL-01		
1998-00	Mentor FB	CKFL-200			CKRL-01		
2000-on	Mentor / Carens Wagon	CKFL-201	CKFS-201		CKRL-201	CKRS-201	
2001-on	Optima	CKFL-205			CKRL-206	CKRS-206	
2002-on	Pregio Van	CKFL-207			LB227 (38mm) LB228 (51mm)	***(Lowering Blocks) ***(Lowering Blocks)	
2000-03	Rio	CKFL-05			CKRL-05		
2003-on	Sorento 4WD Wagon			CKFH-208		CKRS-209	CKRH-209
1996-on	Sportage JA		CKFS-02	CKFH-02		CKRS-02	CKRH-02
LADA							
1978-94	Niva 4WD		CLFS-01	CLFH-01 (42)		CLRS-01	CLRH-01 (41)
	NOTE (41) Extended length shocks recommended						
	NOTE (42) Modification to top bumpstop may be required. Extended length shocks recommended.						
LEXUS							
1992-96	Lexus ES300 VCV10	CLFL-201	CLFS-201		CLRL-201	CLRS-201	
1996-01	Lexus ES300	CLFL-202	CLFS-202		CLRL-203	CLRS-203	
1997-01	Lexus GS300 JS	CLFL-03			CLRL-03		
1999-03	Lexus IS200	CLFL-02			CLRL-02		
1999-03	Lexus IS200 Superlow option ##	CLFL-02L (52)			CLRL-02L (52)		
1991-on	Lexus LS400 UCF10-20					CLRS-204	
1998-2003	LX470 4WD		Torsion Bars CTB-18			CLRS-205	CLRH-205
	NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
LEYLAND							
1973-75	P76 Sedan		CLFS-10			CLRS-10	
MAZDA							
1968-75	1200, 1300 & R100 Sedan & Coupe	CMFL-01 (6)	CMFS-01				
NOTE	(6) May require shock modification to retain coil at full extension.						
121 / COSMO / REVUE							
1976-81	121 / Cosmo 2 Door Coupe	CMFL-02	CMFS-02		CMRL-02	CMRS-02	
1987-97	121 DA & DB	CMFL-04	CMFS-218		CMRL-03	CMRS-03	
1997-02	121 Metro DW	CMFL-04	CMFS-218		CMRL-04	CMRS-04	
323							
1977-80	323 RWD Sedan	CMFL-11	CMFS-224				
1978-85	323 RWD Wagon	CMFL-11	CMFS-224				
1980-89	323 FWD BD BF Models	CFFL-09	CFFS-09		CFRL-09	CFRS-09	
1980-89	323 FWD BD BF Models Superlow option ##	CFFL-09L			CFRL-09L (5)		
NOTE	(5) Will require short struts or modification to retain coils at full extension						
1985-97	323 Wagon with parallel rear coil	CFFL-09	CFFS-09		CFRL-09	CFRS-15	
1991-on	323 Wagon with tapered rear coil	CFFL-09	CFFS-09		CMRL-217	CMRS-217	
1985-89	323 4WD BFMR	CFRL-19	CFRS-19		CMRL-222	CMRS-222	
1985-89	323 4WD BFMR Superlow option ##	CMFL-203			CMRL-204		
1989-94	323 FWD BG 2 W/D (including Astina)	CFFL-18	CFFS-18		CFRL-19	CFRS-19	
1989-94	323 FWD BG 2 W/D (including Astina) Superlow option ##	CMFL-205			CMRL-206 (6)		
1989-94	323 4 W/Drive BG 4WD (including Astina)	CFFL-18	CFFS-18		CMRL-209	CMRS-209	
1989-94	323 4 W/Drive BG 4WD (including Astina) Superlow option ##	CMFL-205			CMRL-223 (6)		
NOTE	(6) May require shock modification to retain coil at full extension.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
MAZDA 323 continued							
1994-98	323 Astina 2L V6	CMFL-06	CMFS-06		CMRL-207	CMRS-207	
1994-98	323 Astina 4 cyl. BC / BH	CFFL-30	CFFS-30		CFRL-30	CFRS-30	
1998-on	323 Astina / Protégé						
	BJ, BK incl. SP20	CMFL-07			CMRL-07	CMRS-07	
626							
1978-82	626 RWD	CMFL-08	CMFS-203		CMRL-08	CMRS-08	CMRH-08
1983-87	626 FWD without electronic shocks	CFFL-20	CFFS-20		CFRL-20	CFRS-20	
1983-87	626 FWD with or convert. from electronic shocks.	CFFL-24 (20)	CFFS-24 (20)		CFRL-24 (20)	CFRS-24 (20)	
NOTE (20) When changing from original electronic adjustable to non-adjustable struts the adjustable spring number should be used.							
1987-91	626 GD Series	CFFL-206	CFFS-25		CFRL-25	CFRS-25	
1987-91	626 GD Series Superlow option ##	CFFL-46			CFRL-25L		
1988-97	626 GD, GV, GW S/Wagon	CFFL-206	CFFS-25		CMRL-09	CMRS-09	
1992-6/94	626 GE1 Series 4 cyl./V6	CFFL-46	CFFS-25		CMRL-226	CFRS-27	
7/94-97	626 GE Sedan.	CFFL-46	CFFS-25		CMRL-232	CFRS-27	
1997-on	626 GF Sedan	CFFL-46	CFFS-25		CMRL-212	CMRS-212	
1998-on	626 GF, GH Wagon					CMRS-29	
808							
1972-77	808 Savana, Sedan, Coupe & Wagon	CMFL-11	CMFS-224				
929							
1978-82	929 L Series Sedan		CMFS-13			CMRS-13	
1979-82	929 L Series Wagon		CMFS-13				
1981-83	929 HB SHE		CMFS-15 (20)			CMRS-14 (20)	
1982-87	929 HB non-adjustable		CMFS-14			CMRS-14	
1982-87	929 HB adjustable		CMFS-15 (20)			CMRS-213 (20)	
1987-91	929 HC V6	CMFL-200	CMFS-200		CMRL-16	CMRS-16	
1991-96	929 HD, HG	CMFL-26			CMRL-26	CMRS-26	
NOTE (20) When changing from original electronic adjustable to non-adjustable struts the adjustable spring number should be used.							
EUNOS							
1992-98	300 (30X) 1.8L V6 Coupe	CMFL-201	CMFS-201		CMRL-17	CMRS-17	
1992-99	500 2L V6 Sedan	CMFL-202	CMFS-202		CMRL-18	CMRS-225	
1992-95	Presso AZ3, MX3	CMFS-201			CMRL-17	CMRS-17	
1994-98	800 2.2 & 2.5 Sedan	CMFL-19			CMRL-19	CMRS-19	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
MAZDA CONT.							
MAZDA 2							
2002-on	Mazda 2	CMFL-39			CMRL-40		
MAZDA 3							
2004-on	Mazda 3	CMFL-31			CMRL-221		
MAZDA 6							
2002-on	Mazda 6	CMFL-32			CMRL-33	CMRS-33	
MPV							
1992-02	MPV Wagon 2WD LVEW, LB70	CMFL-38	CMFS-38		CMRL-38	CMRS-38	
MS8 / EFINI							
1992-on	MS8 E-MB5	CMFL-227	CMFS-227		CMRL-228	CMRS-228	
MX							
1989-97	MX5 NA	CMFL-20 (42)	CMFS-20		CMRL-20 (42)	CMRS-20	
1997-03	MX5 NB	CMFL-21 (42)			CMRL-21 (42)		
NOTE (42) Fit short bumpstops when using these part numbers.							
1987-91	MX6 All	CFFL-206			CFRL-25		
1987-91	MX6 All Superlow	CFFL-46			CFRL-25L		
1992-6/94	MX6 GE	CMFL-231			CMRL-211		
7/94-97	MX6 GE	CMFL-231			CMRL-230		
PREMACY							
2001-on	Premacy	CMFL-37			CMRL-37	CMRS-37	CMRH-37
RX							
1970-78	RX2 / Capella	CMFL-01 (5)	CMFS-01		CMRL-22	CMRS-22	
NOTE (5) Will require short struts or modification to retain coils at full extension.							
1972-77	RX 3 / 808	CMFL-11	CMFS-224				
1972-79	RX 4 / 929 (96mm I.D coil)	CMFL-229	CMFS-229				
1972-79	RX 4 / 929 (112mm I.D coil) with AP exhaust	CMFL-02	CMFS-02				
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
MAZDA RX continued							
1975-81	RX 5 / 121 / Cosmo	CMFL-02	CMFS-02		CMRL-02	CMRS-02	
1978-85	RX 7 Series 1, 2 & 3	CMFL-23	CMFS-23		CMRL-23	CMRS-23	
1978-85	RX 7 Series 1, 2 & 3						
	Superlow option ##	CMFL-23SL			CMRL-203 (2)		
1986-89	RX 7 Series 4 FC	CMFL-24	CMFS-24		CMRL-24	CMRS-24	
1989-91	RX 7 Series 5 FC	CMFL-24			CMRL-208		
1992-99	RX 7 FD Series	CMFL-25			CMRL-25		
2003-on	RX 8	CMFL-36			CMRL-36		
NOTE	(2) Short shock must be fitted to retain coils.						
MAZDA 4WD & COMMERCIAL							
B SERIES / BOUNTY							
1971-85	B1600,1800, 2000 & 2200						
	Petrol ute (coil front end)		CFFS-33				
1971-85	B1600,1800, 2000 & 2200						
	Deisel ute (coil front end)		CFFS-34				
1985-03	B Series & Bounty series						
	2WD (torsion front end)		Torsion bars CTB-02			CLS-54A (45)	(Leaf springs)
1987-03	B2600 & Bounty 4WD		Torsion bars CTB-03			CLS-50A (44)	(Leaf springs)
NOTE	(44) Fit with urethane bush kit CUK756B & CUBK453-1B U Bolt kit						
NOTE	(45) Fit with urethane bush kit CUK756C & CUBK453-1C U Bolt kit						
E SERIES							
1978-84	E 1600		CFFS-233				
1978-89	E 2200 Petrol		CFFS-35				
1978-89	All Deisel		CHFL-31				
TRIBUTE							
2001-on	Tribute	CFFL-63		CFFH-63	CFRL-64	CFRS-64	CFRH-64
MERCEDES							
1968-75	W108 250, 280 & 300		CMFS-204				
1968-76	W114-W115 200,220,230, 240,250,280					CMRS-235 (4)	
1972-79	W116 280,350,400SE/SL					CMRS-214	
1979-91	W126 280,300,380,420, 560 S Series					CMRS-234 (4)	
NOTE	(4) For self levelling type rear shock models replace shocks with appropriate conventional part number.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
MERCEDES continued							
1982-93	W201 190E Sedan 4 cyl.	CMFL-28	CMFS-28		CMRL-28	CMRS-28	
1982-93	W201 190E Sedan 6 cyl.	CMFL-28A	CMFS-28A		CMRL-28	CMRS-28	
1984-95	W124 200, 230E, 300E, 250D & 300D	CMFL-27	CMFS-27		CMRL-27	CMRS-215	
1993-on	W210 E220, 280 & 300 E Class	CMFL-29			CMRL-27 (47) CMRL-30 (47)		
1994-99	W202 4 cyl.	CMFL-236			CMRL-27 (47) CMRL-30 (47)		
1994-99	W202 4 cyl. Superlow option ##	CMFL-42			CMRL-27L (47) CMRL-30L (47)		
1994-99	W202 6 cyl.	CMFL-237			CMRL-27 (47) CMRL-30 (47)		
1994-99	W202 6 cyl. Superlow option ##	CMFL-43			CMRL-27L (47) CMRL-30L (47)		
NOTE (47) Use CMRL-27 / CMRL-27L if O.E coil has one end ground flat or CMRL-30 / CMRL-30L if O.E coil has 2 plain ends.							
1998-on	ML Series 4WD Wagon				CMRL-41		CMRH-41
MINI							
2001-on	Mini	CMFL-34			CMRL-35		
MITSUBISHI							
AIRTREK							
2003-on	Airtrek AWD with 2.0 ltr Intercooled Turbo	CCFL-44			CCRL-45	CCRS-45	
CEDIA							
2003-on	Cedia (excl. VRX)	CCFL-231			CCRL-232		
2003-on	Cedia (excl. VRX) Superlow option ##	CCFL-233			CCRL-234		
2003-on	Cedia VRX	CCFL-43			CCRL-235		
CHARIOT							
1984-87	Chariot					CCRS-240	
1992-96	Chariot 2wd N31-38W	CCFL-241	CCFS-241		CCRL-242	CCRS-242	
COLT							
2004-on	Colt 1.5ltr. Hatch	CCFL-46			CCRL-47		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
CORDIA							
1983-89	Cordia All	CCFL-220	CCFS-220		CCRL-202	CCRS-11	
	DIAMANTE / MAGNA						
	New Zealand / Australian Models						
1985-90	TM-TP Sedan incl. NZ EA-EB V3000	CCFL-16	CCFS-16		CCRL-16	CCRS-16	CCRH-16
1987-91	TN-TP Wagon	CCFL-16	CCFS-16		CCRL-17	CCRS-17	CCRH-17
1991-96	TR-TS / KR-KS Sedan	CCFL-18	CCFS-18		CCRL-18	CCRS-18	CCRH-18
1991-96	TR-TS / KR-KS Wagon	CCFL-18	CCFS-18		CCRL-19	CCRS-19	CCRH-19
1996-on	TE-TK / KE-KF Sedan	CCFL-21	CCFS-21		CCRL-20	CCRS-20	CCRH-20
1996-on	TE-TK / KE-KF Sedan Superlow option ##	CCFL-18			CCRL-20L		
1996-on	TE-TK / KE-KF Wagon	CCFL-21	CCFS-21		CCRL-19	CCRS-19	CCRH-19
	Japanese Diamante / Verada Models						
1991-96	F Series Diamante / Verada / Magna with strut front	CCFL-16	CCFS-16		CCRL-16	CCRS-16	CCRH-16
1996-on	F3-A Diamante / Verada / Magna with 4 link front	CCFL-40	CCFS-40		CCRL-20	CCRS-20	CCRH-20
1996-on	F3-A Diamante Wagon non 4 link front	CCFL-21	CCFS-21		CCRL-19	CCRS-19	CCRH-19
	FTO						
1995-on	FTO Sports Coupe	CCFL-215			CCRL-221		
	GALANT / LEGNUM						
1971-77	GA-GD Sedan & Wagon	CCFL-203	CCFS-203		LB115 (38mm) LB120 (51mm)	***(Lowering Blocks)	***(Lowering Blocks)
1989-92	HG/HH & E3-A Series (excludes air suspension)	CCFL-204	CCFS-204		CCRL-204	CCRS-204	
1989-92	HG/HH & E3-A Series (excludes air suspension) Superlow option ##	CCFL-228 (52)			CCRL-228 (52)		
1988-93	VR4 E3-A Series	CCFL-205	CCFS-205		CCRL-205	CCRS-205	
1988-93	VR4 E3-A Series S/Low Superlow option ##	CCFL-222 (52)			CCRL-222 (52)		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
GALANT / LEGNUM continued							
1992-96	E5-, E6-, E7-, E8- Series	CCFL-13	CCFS-13		CCRL-13	CCRS-13	
1992-96	E5-, E6-, E7-, E8- Series						
	Superlow option ##	CCFL-13L (52)			CCRL-13L (52)		
1992-96	E5-,E6-,E7-,E8- VR4 Model	CCFL-223			CCRL-223 (53)		
					or		
					CCRL-223A (53)		
1992-96	E5-,E6-,E7-,E8- VR4 Model						
	Superlow option ##	CCFL-229 (52)			CCRL-230 (52)(53)		
					or		
					CCRL-223B (52)(53)		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
NOTE (53) Check bottom eye I/D before ordering. CCRL-223 / CCRL-230 = 82mm. CCRL-223A / CCRL-223B = 53mm							
1996-on	EA-EC / SM Sedan incl. VR4 4WD	CCFL-14	CCFS-14		CCRL-14	CCRS-14	
1996-on	EA-EC / SM Sedan incl. VR4 4WD						
	Superlow option ##	CCFL-14L (52)			CCRL-14L (52)		
1996-on	EA-EC Wagon 2WD	CCFL-14	CCFS-14		CCRL-14	CCRS-14W	
1996-on	EA-EC Wagon 2WD						
	Superlow option ##	CCFL-14L (52)			CCRL-14L (52)		
1996-on	EA-EC Wagon 4WD	CCFL-14	CCFS-14		CCRL-225	CCRS-14W	
1996-on	EA-EC Wagon 4WD						
	Superlow option ##	CCFL-14L (52)			CCRL-225L(52)		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
LANCER SEDAN							
1974-77	Lancer LA	CCFL-214	CCFS-26				
1977-81	Lancer LB, LC	CCFL-251	CCFS-251		CCRL-253	CCRS-253	
1988-92	Lancer C5-, C6-, C7-, C8-	CCFL-27 (46)	CCFS-27 (46)		CCRL-27	CCRS-27	
		or	CCFL-28 (46)	CCFS-28 (46)			
1992-96	Lancer CA, CB, CC	CCFL-28 (46)	CCFS-28 (46)		CCRL-28	CCRS-28	
		or	CCFL-27 (46)	CCFS-27 (46)			
NOTE (46) Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27 / CCFS-27 = 145mm, CCFL-28 / CCFS-28 = 121mm							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT		REAR		
		LOW	STD	RAISED	LOW	STD
LANCER continued						
1992-96	Lancer CA, CB, CC Superlow option ##	CCFL-28L (49) or CCFL-27L (49)			CCRL-30 (49)	
NOTE (49) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case. Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27L = 145mm, CCFL-28L = 121mm						
1992-96	Lancer CD5A, CD9A GSR 4WD	CCFL-29 (48)			CCRL-28	
1992-96	Lancer CD5A, CD9A GSR 4WD with heavy duty rear coil	CCFL-29 (48)			CCRL-28H (5)	
NOTE (48) Advisable to measure inside diameter of original front coils before ordering. CCFL-29 = 140mm						
NOTE (5) Will require short struts or modification to retain coils at full extension.						
1992-96	Lancer CD5A, CD9A GSR 4WD Superlow option ##	CCFL-29L (50)			CCRL-30 (50)	
1992-96	Lancer CD5A, CD9A GSR 4WD with heavy duty rear coil Superlow option ##	CCFL-29L (50)			CCRL-30H (50)(5)	
NOTE (50) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case. Advisable to measure inside diameter of original front coils before ordering. Part number CCFL-29L = 140mm						
NOTE (5) Will require short struts or modification to retain coils at full extension.						
1996-02	Lancer CJ, CK, CM	CCFL-28 (46) or CCFL-27 (46)	CCFS-28 (46) CCFS-27 (46)		CCRL-30	CCRS-30
1996-02	Lancer CJ, CK, CM Superlow option ##	CCFL-28L (49) or CCFL-27L (49)			CCRL-30L (49)	
NOTE (46) Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27 / CCFS-27 = 145mm, CCFL-28 / CCFS-28 = 121mm						
NOTE (49) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case. Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27L = 145mm, CCFL-28L = 121mm						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
LANCER continued							
2003-on	Lancer (excl. VRX)	CCFL-231			CCRL-232		
2003-on	Lancer (excl. VRX)						
	Superlow option ##	CCFL-233			CCRL-234		
2003-on	Lancer VRX	CCFL-43			CCRL-235		
Pre-1996	EVO 1, 2, 3	CCFL-29			CCRL-28		
Pre-1996	EVO 1, 2, 3						
	with heavy duty rear coil	CCFL-29 (48)			CCRL-28H (5)		
Pre-1996	EVO 1, 2, 3						
	Superlow option ##	CCFL-29L (52)			CCRL-30 (52)		
Pre-1996	EVO 1, 2, 3						
	with heavy duty rear coil						
	Superlow option ##	CCFL-29L (52)			CCRL-30H (52)(5)		
1996-97	EVO 4	CCFL-29			CCRL-227		
1997-02	EVO 5 & 6	CCFL-41			CCRL-41		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
NOTE (5) Will require short struts or modification to retain coils at full extension.							
LANCER WAGON							
1993-on	Lancer Wagon 2WD	CCFL-28 (46)	CCFS-28 (46)		CCRL-224	CCRS-224	
		CCFL-27 (46)	CCFS-27 (46)				
1992-on	Lancer Wagon 2WD						
	Superlow option ##	CCFL-28L (49)					
		or CCFL-27L (49)			CCRL-224L(51)		
NOTE (46) Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27 / CCFS-27 = 145mm, CCFL-28 / CCFS-28 = 121mm							
NOTE (49) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case. Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27L = 145mm, CCFL-28L = 121mm							
NOTE (51) Rear bumpstops may require shortening.							
LIBERO							
1992-on	Libero Wagon 2WD	CCFL-28 (46)	CCFS-28 (46)		CCRL-224	CCRS-224	
		CCFL-27 (46)	CCFS-27 (46)				
NOTE (46) Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27 / CCFS-27 = 145mm, CCFL-28 / CCFS-28 = 121mm							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
LIBERO continued							
1992-on	Libero Wagon 2WD						
	Superlow option ##	CCFL-28L (49)					
		or CCFL-27L (49)			CCRL-224L(51)		
1992-on	Libero Wagon 4WD						
	Non Turbo models	CCFL-28 (46)	CCFS-28 (46)		CCRL-42	CCRS-42	
		CCFL-27 (46)	CCFS-27 (46)				
1992-on	Libero Wagon 4WD						
	Non Turbo models						
	Superlow option ##	CCFL-28L (49)			CCRL-42L (2)(51)		
		or CCFL-27L (49)					
1992-on	Libero Wagon 4WD						
	Turbo models	CCFL-29			CCRL-42	CCRS-42	
1992-on	Libero Wagon 4WD						
	Turbo models						
	Superlow option ##	CCFL-29L (50)			CCRL-42L (2)(51)		
NOTE	(2) Short shock must be fitted to retain coils.						
NOTE	(46) Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27 / CCFS-27 = 145mm, CCFL-28 / CCFS-28 = 121mm						
NOTE	(49) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case. Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27L = 145mm, CCFL-28L = 121mm						
NOTE	(50) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case. Advisable to measure inside diameter of original front coil before ordering. Part number CCFL-29L = 140mm.						
NOTE	(51) Rear bumpstops may require shortening.						
MIRAGE							
1979-82	Mirage	CCFL-200	CCFS-200		CCRL-218	CCRS-218	
1983-84	Mirage 11	CCFL-200	CCFS-200		CCRL-219	CCRS-219	
1980-90	RA-RD	CCFL-200	CCFS-200		CCRL-10	CCRS-10	
1988-92	C5-, C6-, C7-, C8-	CCFL-27 (46)	CCFS-27 (46)		CCRL-27	CCRS-27	
		or CCFL-28 (46)	CCFS-28 (46)				
1992-96	Mirage CA, CB, CC	CCFL-28 (46)	CCFS-28 (46)		CCRL-28	CCRS-28	
		or CCFL-27 (46)	CCFS-27 (46)				
NOTE	(46) Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27 / CCFS-27 = 145mm, CCFL-28 / CCFS-28 = 121mm						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
MIRAGE continued							
1992-96	Mirage CA, CB, CC Superlow option ##	CCFL-28L (49) or CCFL-27L (49)			CCRL-30 (49)		
1996-02	Mirage CJ, CK, CM	CCFL-28 (46) or CCFL-27 (46)	CCFS-28 (46) CCFS-27 (46)		CCRL-30	CCRS-30	
1996-02	Mirage CJ, CK, CM Superlow option ##	CCFL-28L (49) or CCFL-27L (49)			CCRL-30L (49)		
NOTE (46) Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27 / CCFS-27 = 145mm, CCFL-28 / CCFS-28 = 121mm							
NOTE (49) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case. Measure inside diameter of original front coils before ordering. Part numbers vary in same model. CCFL-27L = 145mm, CCFL-28L = 121mm							
RVR							
1993-97	RVR 2WD N11, 13, 18	CCFL-236	CCFS-236		CCRL-237	CCRS-237	
1993-97	RVR 4WD Turbo	CCFL-238			CCRL-239	CCRS-239	
SIGMA							
1977-81	GE-GH Sedan	CCFL-212	CCFS-212		CCRL-22	CCRS-22	CCRH-22
1977-81	GE-GH Wagon	CCFL-212	CCFS-212		CCRS-22	CCRS-17	CCRH-17
1982-87	GJ,GK & GN Sedan	CCFL-213	CCFS-24		CCRL-24	CCRS-24	
1982-87	GJ,GK & GN Wagon	CCFL-213	CCFS-24		CCRS-22	CCRS-17	CCRH-17
1984-88	Sigma FWD	CCFL-206	CCFS-206		CCRL-206	CCRS-206	CCRH-206
1984-88	Sigma GSR	CCFL-25			CCRL-206	CCRS-206	CCRH-206
TREDIA							
1983-89	Tredia	CCFL-220	CCFS-220		CCRL-202	CCRS-11	
MITSUBISHI 4WD & COMMERCIAL							
CHALLENGER							
1996-00	Challenger (leaf rear)	Torsion bars CTB-17 (1307mm)				CLS-56 (56)	(Leaf springs)
NOTE (56) Fit with U bolt kit CUBK451 & urethane bush kit CUK715B							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
CHALLENGER continued							
1998-02	Challenger		Torsion bars CTB-17			CCRS-249	CCRH-249
1998-02	Challenger extra Heavy Duty rear						CCRH-250
L200 / L300 / DELICA (see also listings under Triton / L200)							
1981-on	L200 2WD	CCFL-252 (95)	CCFS-33 (95)			CLS-55 (54)	(Leaf springs)
NOTE (95) Check O.E coil inside diameter before ordering. This partnumber is 82mm I.D.							
NOTE (54) Fit with U bolt kit CUBK451A & Urethane bush kit CUK715A							
1981-86	L200 4WD	Torsion bars CTB-06 (1282mm)				CLS-56A (55)	(Leaf springs)
NOTE (55) Fit with U bolt kit CUBK451 & Urethane bush kit CUK715							
1986-on	L200 2WD	Torsion bars CTB-06					
1981-on	L300 2WD with coil front	CCFS-34					
1983-87	L300 4WD Wagon	Torsion bars CTB-06 (1282mm) (28)				CLS-56 (55)	(Leaf springs)
1987-on	L300 4WD Wagon	Torsion bars CTB-07 (971mm) (28)				CLS-56 (55)	(Leaf springs)
NOTE (55) Fit with U bolt kit CUBK451 & Urethane bush kit CUK715							
NOTE (28) Measure torsion bar size before ordering.							
L400 / DELICA							
1995-on	L400 / Delica Spacegear	Torsion bars CTB-15				CCRS-48	
PAJERO 4WD							
1982-96	NA-NJ 4 cyl. & V6 SWB Leaf spring rear	Torsion bars CTB-06 (1282mm) (28) or Torsion bars CTB-17 (1307mm) (28)				CLS-04A (57)	(Leaf springs)
1982-96	NA-NJ 4 cyl. & V6 LWB Leaf spring rear	Torsion bars CTB-06 (1282mm) (28) or Torsion bars CTB-17 (1307mm) (28)				CLS-04 (57)	(Leaf springs)
1989-99	NF- NL SWB Coil sprung	Torsion bars CTB-06 (1282mm) (28) or Torsion bars CTB-17 (1307mm) (28)				CCRS-36	CCRH-36
NOTE (28) Measure torsion bar size before ordering.							
NOTE (57) For models with 18mm front pin fit with CUK715 urethane bush kit. For models with 16mm front pin fit CUK715C urethane bush kit. U Bolt kit CUBK451 suits both models.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
PAJERO 4WD continued							
1989-99	NF- NL SWB Coil sprung Extra Heavy Duty Rear						CCRH-248
1989-99	NF- NL LWB Coil sprung	Torsion bars CTB-06 (1282mm) (28) or Torsion bars CTB-17 (1307mm) (28)				CCRS-37	CCRH-37
1989-99	NF- NL LWB Coil sprung Extra Heavy Duty Rear						CCRH-37HD
NOTE	(28) Measure torsion bar size before ordering.						
2000-02	Pajero NM SWB Petrol	CCFL-35	CCFS-35	CCFH-35	CCRL-243	CCRS-243	CCRH-243
2000-02	Pajero NM SWB Deisel	CCFL-245	CCFS-245	CCFH-245	CCRL-243	CCRS-243	CCRH-243
2000-02	Pajero NM LWB Petrol	CCFL-35	CCFS-35	CCFH-35	CCRL-35	CCRS-35	CCRH-35
2000-02	Pajero NM LWB Deisel	CCFL-245	CCFS-245	CCFH-245	CCRL-35	CCRS-35	CCRH-35
2000-02	Pajero NM LWB Extra Heavy Duty Rear						CCRH-34HD
2003-on	Pajero NP LWB Petrol	CCFL-35	CCFS-35	CCFH-35	CCRL-244	CCRS-244	CCRH-244
2003-on	Pajero NP LWB Deisel	CCFL-245	CCFS-245	CCFH-245	CCRL-244	CCRS-244	CCRH-244
2003-on	Pajero NP LWB Extra Heavy Duty Rear						CCRH-34HD
TRITON / L200							
1986-96	ME - MJ 2WD		CCFS-246 (95)				
NOTE	(95) Check O.E coil inside diameter before ordering. This partnumber is 82mm I.D.						
1996-03	MK 2WD	CCFL-247 (96)	CCFS-247 (96)				
NOTE	(96) Check O.E coil inside diameter before ordering. This partnumber is 92mm I.D.						
1986-on	ME - MK 4WD	Torsion bars CTB-06 (1282mm) (28) 1985-92 or Torsion bars CTB-20 (1366 x 25mm) (28) 1992-97 or Torsion bars CTB-21 (1366 x 27mm) (28) 1997-99				CLS-04 (58)	(Leaf springs)
NOTE	(28) Measure torsion bar size before ordering.						
NOTE	(58) Must fit urethane bush kit CUK701 with these springs. Fit with CUBK451 U Bolt kit.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
NISSAN							
120/120Y							
1970-79	1200 & 120Y	CNFL-01	CNFS-01				
1600							
1968-72	1600 Sedan	CNFL-59	CNFS-219		CNRL-02	CNRS-02	CNRS-03
1971-72	Wagon	CNFL-59	CNFS-219				
1968-72	Rally Use		CNFS-00			CNRS-00	
180B							
1972-77	180B Sedan & Coupe	CNFL-254	CNFS-254		CNRL-253	CNRS-03	
1972-77	180B Wagon	CNFL-254	CNFS-254				
1972-77	Rally Use		CNFS-00			CNRS-01	
200B							
1977-78	200B Sedan with IRS	CNFL-255	CNFS-02			CNRS-04	
1977-81	200B Coupe		CNFL-255	CNFS-02		CNRS-203	
1978-81	200B Sedan	CNFL-255	CNFS-02		CNRL-04	CNRS-05	
180SX / 200SX / SILVIA							
pre-1989	180SX / 200 SX S12	CNFL-256	CNFS-256		CNRL-256	CNRS-256	
1989-94	180SX / 200 SX S13	CNFL-219	CNFS-253		CNRL-219	CNRS-219	
1989-94	180SX / 200 SX S13						
	Superlow option ##	CNFL-219L(50)			CNRL-219L(50)		
1994-99	200 SX S14	CNFL-06	CNFS-257		CNRL-54	CNRS-54	
1999-on	200 SX S15	CNFL-249 (42)	CNFS-249		CNRL-249	CNRS-249	
NOTE (42) Fit short bumpstops when using this part number.							
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
"C" Series							
1972-79	240C, 260C		CNFS-58				
1978-80	280C, 330	CNFL-205	CNFS-220				
1980-84	280C, 430	CNFL-205	CNFS-220			CNRS-07	
1984-89	300C					CNRS-07	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
NISSAN continued							
"K" SERIES							
1972-77	240K Sedan & Coupe	CNFL-258	CNFS-08		CNRL-206	CNRS-08	
"Z" & "ZX" SERIES							
1970-75	240Z	CNFL-09	CNFS-09		CNRL-09	CNRS-09	
1970-79	260Z	CNFL-10	CNFS-10		CNRL-220	CNRS-10	
1979-84	280ZX	CNFL-11	CNFS-251		CNRL-04	CNRS-11	CNRS-10
1984-89	300ZX Z31	CNFL-12	CNFS-221		CNRL-12	CNRS-12	
1989-96	300ZX Z32	CNFL-13			CNRL-13		
AVENIR							
1990-98	Avenir Station Wagon SWY10 (Deisel motor)	CNFL-262	CNFS-29		CNRL-221	CNRS-221	CNRH-221
1990-98	Avenir Station Wagon SWY10 (Deisel motor)						
	Superlow option ##	CNFL-262L			CNRL-223 (6)		
1990-98	Avenir Station Wagon W10 (Petrol motor)	CNFL-222	CNFS-222		CNRL-221	CNRS-221	CNRH-221
1990-98	Avenir Station Wagon W10 (Petrol motor)						
	Superlow option ##	CNFL-223			CNRL-223 (6)		
NOTE	(6) May require shock modification to retain coil at full extension.						
BLUEBIRD							
1981-86	910 Series Sedan	CNFL-259 (59)	CNFS-219(59)		CNRL-04	CNRS-11	CNRH-224
1981-86	910 Series Wagon	CNFL-259 (59)	CNFS-219(59)				
NOTE	(59) Check & advise O.E coil measurements before ordering CNFL-259/CNFS-219 = 116mm inside diameter. CNFL-02A & CNFS-02A = 136mm inside diameter						
1986-89	Bluebird U11	CNFL-14 (60)	CNFS-14 (60)		CNRL-14 (61)	CNRS-14 (61)	CNRH-14 (61)
1986-89	Bluebird U11 Wagon with coil sprung rear	CNFL-14 (60)	CNFS-14 (60)			CNRS-45	CNRH-45
NOTE	(60) Check O.E coil diameter before ordering.CNFL-14 / CNFS-14 = 136mm.						
NOTE	(61) Check O.E coil inside diameter before ordering.CNRL/RS/RH-14 = 136mm. If 118mm use CNRL/RS-207						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
BLUEBIRD continued							
1989-93	Bluebird U12 Sedan	CNFL-202	CNFS-202		CNRL-207	CNRS-207	
1989-93	Bluebird U12 Hatch	CNFL-202	CNFS-202		CNRL-208	CNRS-208	
1989-93	Bluebird U12 4WD (Atessa)	CNFL-250	CNFS-250		CNRL-55	CNRS-55	
1993-97	Bluebird U13 2WD	CNFL-209	CNFS-209		CNRL-209	CNRS-209	
1993-97	Bluebird U13 4WD (Atessa)	CNFL-260	CNFS-260		CNRL-225	CNRS-225	
1997-on	Bluebird U14 2WD	CNFL-49	CNFS-49		CNRL-57	CNRS-46	
1997-on	Bluebird U14 4WD Atessa SSS	CNFL-261			CNRL-261		
CEDRIC / GLORIA / LEOPARD							
Pre 1991	Y31 Models		CNFS-226				
1995-on	Y33 3 ltr. non turbo	CNFL-60			CNRL-60	CNRS-60	
1995-on	Y33 3 ltr. turbo	CNFL-61			CNRL-60	CNRS-60	
CEFIRO							
1988-94	Cefiro RA31	CNFL-12	CNFS-212		CNRL-17	CNRS-17	
1994-98	Cefiro RA32	CNFL-16	CNFS-16		CNRL-16	CNRS-16	
1994-98	Cefiro RA32 Turbo	CNFL-252	CNFS-252		CNRL-16	CNRS-16	
1998-on	Cefiro A33	CNFL-16	CNFS-16		CNRL-47	CNRS-47	
LAUREL							
1981-85	Laurel C31					CNRS-227	
1985-88	Laurel C32					CNRS-228 (62)	CNRH-228 (62)
1989-93	Laurel C33	CNFL-229 (63)	CNFS-229 (63)		CNRL-229 (7)	CNRS-229 (7)	
NOTE (62) 3 different spring platform heights available on this model which can vary ride heights.							
NOTE (63) CNFL-229 & CNFS-229 are 153mm ID coils. If O.E coils are 145mm I.D use CNFL-229A or CNFS-229A.							
NOTE (7) Measure & advise O.E spring measurements before ordering.							
NX & NXR							
1991-95	NX & NXR Coupe	CNFL-210			CNRL-210		
MAXIMA							
1990-94	Maxima J30	CNFL-15	CNFS-15		CNRL-211	CNRS-211	
1995-99	Maxima A32	CNFL-16	CNFS-16		CNRL-16	CNRS-16	
1999-02	Maxima A33	CNFL-16	CNFS-16		CNRL-47	CNRS-47	
2004-on	Maxima A34					CNRS-68	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
NISSAN continued							
MICRA							
1995-97	Micra K11	CNFL-263			CNRL-263	CNRS-263	
PRAIRIE							
1988-95	HM11 5 Door Wagon		CNFS-48			CNRS-231	
1996-on	PM11 2WD Wagon					CNRS-62	
PRESEA							
1990-95	R10 Models	CNFL-247	CNFS-247		CNRL-248	CNRS-248	
1996-on	R11 Models	REFER TO N15 PULSAR			REFER TO N15 PULSAR		
PRIMERA							
1990-95	P10 1.8ltr. 2WD Sedan	CNFL-49	CNFS-49		CNRL-265 (64)	CNRS-49 (64)	
1990-95	P10 1.8ltr. 2WD Sedan Superlow option ##	CNFL-49L			CNRL-265L (64)(65)		
1990-95	P10 2.0ltr. 2WD Sedan	CNFL-49	CNFS-49		CNRL-50 (64)	CNRS-50 (64)	
1990-95	P10 2.0ltr. 2WD Sedan Superlow option ##	CNFL-49L			CNRL-50L (64) (65)		
1990-95	P10 2.0ltr. 4WD Sedan	CNFL-49	CNFS-49		CNRL-232 (64)	CNRS-232 (64)	
1996-02	P11 2.0ltr. 2WD Sedan	CNFL-49	CNFS-49		CNRL-57	CNRS-287	
1997-02	P11 2WD Wagon	CNFL-288	CNFS-288		CNRL-289	CNRS-289	
2002-on	P12 2WD Sedan	CNFL-290			CNRL-290	CNRS-290	
2002-on	P12 2WD Wagon	CNFL-69			CNRL-291	CNRS-291	
NOTE (64) Must measure & advise O.E coils before ordering. CNRL-265L / CNRL-265 / CNRS-49 = 117mm I.D. CNRL-50L / CNRL-50 / CNRS-50 = 136mm I.D. CNRL-232/CNRS-232 = 126mm I.D.							
NOTE (65) Superlow coils may lower vehicle under 100mm ground clearance. Bumpstops may require shortening & certification may be required.							
PULSAR / SENTRA							
1982-87	N12 Models/Sunny	CNFL-215	CNFS-19		CNRL-19	CNRS-19	
1987-7/89	N13 Models	CNFL-233	CNFS-233		CNRL-233 (66)	CNRS-233 (66)	
NOTE (66) Use this part number in models to 7/89 with O.E strut number J7500 only. If O.E struts have been replaced measure length of strut tube from spring seat to top of flange mount. J7500 = 138mm. If measurement is 160mm use part numbers CNRL-234 / CNRS-234							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
PULSAR / SENTRA continued							
7/89-91	N13 Models	CNFL-233	CNFS-233		CNRL-234 (67)	CNRS-234 (67)	
NOTE (67) Use this part number in models 7/89 - on with O.E strut number J7501 only. If O.E struts have been replaced measure length of strut tube from spring seat to top of flange mount. J7501 = 160mm. If measurement is 138mm use part numbers CNRL-233 / CNRS-233							
1987-7/89	N13 EXA 2 Door	CNFL-237	CNFS-237		CNRL-266 (68)	CNRS-266 (68)	
NOTE (68) Use this part number in models to 7/89 with O.E strut number J7500 only. If O.E struts have been replaced measure length of strut tube from spring seat to top of flange mount. J7500 = 138mm. If measurement is 160mm use part numbers CNRL-237 / CNRS-237. Shock modification may be required to retain lowered coils at full extension.							
7/89-91	N13 EXA 2 Door	CNFL-237	CNFS-237		CNRL-237 (69)	CNRS-237 (69)	
NOTE (69) Use this part number in models 7/89 - on with O.E strut number J7501 only. If O.E struts have been replaced measure length of strut tube from spring seat to top of flange mount. J7501 = 160mm. If measurement is 138mm use part numbers CNRL-266 / CNRS-266. Shock modification may be required to retain lowered coils at full extension.							
1992-95	N14 Models	CNFL-236	CNFS-236		CNRL-236	CNRS-236	
1992-95	N14 Models						
	Superlow option ##	CNFL-236L(52)			CNRL-236L(52)(6)		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
NOTE (6) May require shock modification to retain coil at full extension.							
1992-95	N14 GTIR 4WD	CNFL-235			CNRL-235		
1996-00	N15 Models	CNFL-217 (70)	CNFS-217(70)		CNRL-217 (71)	CNRS-217 (71)	
	or						
	N15 Models	CNFL-218 (70)	CNFS-218(70)		CNRL-218 (71)	CNRS-218 (71)	
NOTE (70) CNFL-217 / CNFS-217 suits models up to 01/98. CNFL-218 / CNFS-218 suits models after 01/98. Identify by measuring distance from lower clevis hole to bottom of spring. If distance is 216mm use CNFL-217 / CNFS-217. If distance is 246mm use CNFL-218 / CNFS-218.							
NOTE (71) CNRL-217/CNRS-217 suits models up to 01/98 identified where rear coil has a lower I.D of 77mm. CNRL-218/CNRS-218 suits models after 01/98 where rear coil has a lower I.D of 65mm.							
2000-on	N16 Pulsar Sedan	CNFL-51			CNRL-51	CNRS-267	
2000-on	N16 Pulsar Hatch	CNFL-51			CNRL-268	CNRS-268	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
SENTRA / PULSAR WAGON							
1990-on	Sentra Wagon Y10	CNFL-238	CNFS-238		CNRL-269	CNRS-52	
1990-on	Sentra Wagon Y10						
	Superlow option ##	CNFL-238L(52)			CNRL-269L(52)		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
1998-on	Pulsar/Sentra Wagon Y11				CNRL-239	CNRS-239	CNRH-239
180SX / 200SX / SILVIA							
pre-1989	180SX / 200 SX S12	CNFL-256	CNFS-256		CNRL-256	CNRS-256	
1989-94	180SX / 200 SX S13	CNFL-219	CNFS-253		CNRL-219	CNRS-219	
1989-94	180SX / 200 SX S13						
	Superlow option ##	CNFL-219L(50)			CNRL-219L(50)		
1994-99	200 SX S14	CNFL-06	CNFS-257		CNRL-54	CNRS-54	
1999-on	200 SX S15	CNFL-249 (42)	CNFS-249		CNRL-249	CNRS-249	
NOTE (42) Fit short bumpstops when using this part number.							
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
SKYLINE							
1978-81	C210 Sedan & Coupe	CNFL-08	CNFS-270		CNRL-04	CNRS-11	
1981-86	R30 Sedan & Hatch	CNFL-242	CNFS-242		CNRL-271	CNRS-10	
1986-91	R31 Sedan	CNFL-23	CNFS-23		CNRL-23 (72)	CNRS-23 (72)	
1986-91	R31 Wagon	CNFL-23	CNFS-23		CNRL-24 (72)	CNRS-24 (72)	
NOTE (72) Check I.D of O.E R31 rear coils before ordering. Some Sedans take Wagon coils. CNRL-23 / CNRS-23 = 87mm I.D. CNRL-24 / CNRS-24 = 98mm I.D							
1989-on	R32 Models	CNFL-25	CNFS-25		CNRL-25	CNRS-25	
1989-on	R32 Models						
	Superlow option ##	CNFL-25L			CNRL-25L		
1989-on	R32 GTR 4WD	CNFL-276			CNRL-276		
1989-on	R32 GTS 4WD	CNFL-275	CNFS-275		CNRL-275	CNRS-275	
1994-on	R33 Turbo	CNFL-243			CNRL-204		
1994-on	R33 Non Turbo	CNFL-63			CNRL-204		
1994-on	R33 GTR 4WD	CNFL-244			CNRL-244		
1994-on	R33 GTS 4WD	CNFL-273			CNRL-273		
2000-on	R34 2WD	CNFL-274			CNRL-274		
2000-on	R34 GTR 4WD	CNFL-272			CNRL-272		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
NISSAN continued							
STAGEA							
1996-on	C34 Station Wagon	CNFL-286			CNRL-286		
STANZA							
1978-83	Stanza	CNFL-52	CNFS-52		CNRL-27	CNRS-27	
SUNNY							
1979-82	Sunny Sedan & Coupe	CNFL-245	CNFS-245		CNRL-27	CNRS-277	
1979-82	Sunny Station Wagon	CNFL-245	CNFS-245		CNRL-278	CNRS-278	
NISSAN 4WD & COMMERCIAL							
1970-79	1200 Ute	CNFL-01	CNFS-01				
1970-72	520 Ute & Kingcab 2WD		Torsion bars CTB-08				
1972-85	620 & 720 Ute & Kingcab 2WD		Torsion bars CTB-08		LB412 (105)		
1980-6/83	720 Ute & Kingcab 4WD		Torsion bars CTB-08		LB412 (105)		
7/83-85	720 Ute & Kingcab 4WD		Torsion bars CTB-09		LB412 (105)	CLS-05A (73)	(Leaf springs)
NOTE (105) 51mm Lowering blocks - suits models with 75mm I.D U bolts. Spring plates may need to be drilled out to suit the new heavy duty U bolts. Advisable to check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
NOTE (73) Fit with CUBK788 U Bolt kit & urethane bush kit CUJ703							
MISTRAL							
1994-on	Mistral R20		Torsion bars CTB-12			CNRS-40	CNRH-40
NAVARA							
1985-on	Pick Up/Dual Cab 2WD D21 / D22 models		Torsion bars CTB-10		LB411 (104)	(Note 103)	
NOTE (104) 51mm Lowering blocks - suits models with 85mm I.D U bolts. For models with 75mm U bolts fit LB412. Spring plates may need to be drilled out to suit the new heavy duty U bolts. Advisable to check O.E U bolt & centrebolt dimensions before ordering as these can vary.							
NOTE (103) Leaf springs available - must supply O.E spring measurements, no. of leaves, eye & pin sizes.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
NAVARA continued							
1985-1997	Pick Up & Dual Cab 4WD						
	D21 Models		Torsion bars CTB-11			CLS-05 (74)	(Leaf springs)
1997-on	Pick Up & Dual Cab 4WD						
	D22 Models		Torsion bars CTB-10			CLS-05 (74)	(Leaf springs)
NOTE (74) Fit with CUBK660 U Bolt kit & urethane bush kit CUK704							
PATHFINDER							
1987-95	Pathfinder WD21		Torsion bars CTB-12			CNRS-40	CNRH-40
1995-00	Pathfinder R50		CNFS-41	CNFH-41		CNRS-41	CNRH-41
PATROL / SAFARI							
1961-89	G60 SWB		CLS-59 (75)			CLS-60 (76)	(Leaf springs)
1961-89	G60 MWB		CLS-59 (75)			CLS-60A (76)	(Leaf springs)
NOTE (75) Fit with CUBK451-663 U Bolt kit & bush kit CUK721							
NOTE (76) Fit with CUBK453 U Bolt kit & bush kit CUK721							
1980-83	MQ SWB & LWB (round headlights)		CLS-06 (77)			CLS-07 (78)	
1983-88	MK SWB & LWB (rectangular headlights)		CLS-61 (79)			CLS-07 (78)	
NOTE (77) Fit with CUBK451-452 U Bolt kit & bush kit CUK721							
NOTE (78) Fit with CUBK453 U Bolt kit & bush kit CUK722							
NOTE (79) Fit with CUBK451-452 U Bolt kit & bush kit CUK724							
NISSAN SAFARI Y60 SWB							
1988-98	GQ Y60 SWB		CNFS-42	CNFH-246 (80)		CNRS-42	CNRH-246 (80)
1988-98	GQ Y60 SWB 60mm lift			CNFH-279 (80)			CNRH-280 (80)
1988-98	GQ Y60 SWB 80mm lift			CNFH-284 (80)			CNRH-284 (80)
NOTE (80) Fitting raised coils to SWB models will usually cause driveline vibration. Fit gearbox x-member spacer kit p/n CNSK-01 to resolve this. Long travel shocks should be fitted using these part numbers. Heights shown are for std. vehicles without load bearing accessories. Panhard rod & castor alteration kits recommended.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
NISSAN SAFARI Y60 LWB							
1988-98	GQ Y60 LWB 3ltr.		CNFS-42	CNFH-246 (41)		CNRS-43	CNRH-43 (41)
1988-98	GQ Y60 LWB 3ltr. 60mm lift			CNFH-279 (81)			CNRH-43H (81)
1988-98	GQ Y60 LWB 3ltr. 80mm lift (extra H/D rear)			CNFH-284 (81)			CNRH-64 (81)
1988-98	GQ Y60 LWB 4.2ltr.		CNFS-43	CNFH-43 (41)		CNRS-43	CNRH-43 (41)
1988-98	GQ Y60 LWB 4.2ltr. 60mm lift			CNFH-43H (81)			CNRH-43H (81)
1988-98	GQ Y60 LWB 4.2ltr. Extra heavy duty option 60mm lift			CNFH-56 (81)			CNRH-57 (81)
1988-98	GQ Y60 LWB 4.2ltr. Extra heavy duty option 80mm lift			CNFH-64 (81)			CNRH-64 (81)
NISSAN SAFARI Y60 TRAYBACK							
1991-98	GQ Y60 Trayback (coil sprung)		CNFS-43	CNFH-43 (41)		CNRS-282 (41)	CNRH-282 (41)
1991-98	GQ Trayback (coil sprung) Extra heavy duty option 60mm lift			CNFH-56 (81)			CNRH-56 (81)
1988-99	GQ Y60 Trayback (leaf sprung)		CLS-77 (83)			CLS-09 (84)	
NISSAN SAFARI Y61 LWB							
1998-on	GU Y61 LWB		CNFS-43	CNFH-43 (41)		CNRS-281	CNRH-281 (41)
1998-on	GU Y61 LWB 60mm lift			CNFH-43H (81)			CNRH-285 (81)
1998-on	GU Y61 LWB Extra heavy duty option 60mm lift			CNFH-56 (81)			CNRH-247 (81)
1998-on	GU Y61 LWB Extra heavy duty option 80mm lift			CNFH-64 (81)			CNRH-65 (81)
NOTE (41) Long travel shocks recommended when fitting these part numbers.							
NOTE (81) Long travel shocks necessary when using these part numbers. Heights shown are for std. vehicles without load bearing accessories. Pandarod rod & castor alteration kits recommended.							
NOTE (83) Fit with CUBK436 U Bolt kit & urethane bush kit CUK718							
NOTE (84) Fit with CUBK453 U Bolt kit & urethane bush kit CUK719							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT		REAR	
		LOW	STD	LOW	STD
			RAISED		RAISED
NISSAN SAFARI Y61 TRAYBACK					
1998-on	GU Y61 Trayback (coil sprung)		CNFS-43	CNFH-43 (41)	CNRS-282 (41) CNRH-282 (41)
1998-on	GU Y61 Trayback (coil sprung) Extra heavy duty option 60mm lift			CNFH-56 (81)	CNRH-283 (81)
1998-on	GU Y61 Trayback (coil sprung) Extra heavy duty option 80mm lift			CNFH-64 (81)	CNRH-65 (81)
1998-on	GU Y61 Trayback (leaf sprung rear)		fronts as above		CLS-09 (85)
NOTE (41) Long travel shocks recommended when fitting these part numbers.					
NOTE (81) Long travel shocks necessary when using these part numbers. Heights shown are for std. vehicles without load bearing accessories. Pandard rod & castor alteration kits recommended.					
NOTE (83) Fit with CUBK436 U Bolt kit & urethane bush kit CUK718					
NOTE (84) Fit with CUBK453 U Bolt kit & urethane bush kit CUK719					
NOTE (85) Fit with CUBK671 U Bolt kit & urethane bush kit CUK719					
TERRANO					
1987-95	Terrano WD21		Torsion bars CTB-12		CNRS-40 CNRH-40
1995-00	Terrano R50		CNFS-41	CNFH-41	CNRS-41 CNRH-41
1997-on	Terrano R20		Torsion bars CTB-12		CNRS-40 CNRH-40
VANETTE / LARGO					
1975-on	C20 Models Transverse leaf spring		CLS-18		
1986-on	C22 Models Transverse leaf spring		CLS-19		
X TRAIL					
2001-on	X Trail T30			CTFH-66	CNRH-67
PROTON					
1997-99	M21 Sports Coupe	CPFL-201		CPRL-202	CPRS-202
1997-01	Persona 1.5 ltr.	CPFL-203		CPRL-204	CPRS-204
1997-01	Persona 1.6 ltr.	CPFL-201		CPRL-204	CPRS-204
1997-01	Satria 1.5 ltr.	CPFL-203		CPRL-205	CPRS-205
1997-01	Satria 1.6 ltr.	CPFL-201		CPRL-205	CPRS-205
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.					

YEAR	MAKE & MODEL	FRONT		REAR		RAISED	
		LOW	STD	RAISED	LOW		STD
RENAULT							
1982-87	Fuego GTX					CRRS-205	
ROVER							
1963-77	2000 & 3500 P6 type					CRRS-01	
1977-83	All 2000,2300 & 2600 & 3500 SD1, SE1					CRRS-02 (4)	
1983-87	Vanden Plas / SE2					CRRS-208 (4) CRRS-02 (4)	
NOTE	(4) For self levelling type rear shock models replace shocks with appropriate conventional part number.						
FREELANDER							
1998-00	Land Rover Freelander 1.8ltr. & 2.0 ltr. T/Diesel			CRFH-13		CRRH-14	
2000-on	Land Rover Freelander V6 petrol & 2.0 ltr. T/Diesel			CRFH-30		CRRH-14	
1980-85	Quintet	CRFL-206	CRFS-206		CRRL-207	CRRS-207	
LAND ROVER							
1948-on	Land Rover SWB Series 1 (1 3/4" wide springs)		CLS-62 Leaf springs			CLS-63 Leaf springs	
1956-on	Land Rover SWB 88" Series 1, 2, 2A, 3 (Petrol)		CLS-20 Leaf springs (86)			CLS-21 Leaf springs (87)	
1956-on	Land Rover SWB 88" Series 1, 2, 2A, 3 (Diesel)		CLS-20A Leaf springs (86)			CLS-21 Leaf springs (87)	
1956-on	Land Rover LWB 109" Series 1, 2, 2A, 3 (Petrol)		CLS-20A Leaf springs (86)			CLS-23 Leaf springs (87)	
1956-on	Land Rover LWB 109" Series 1, 2, 2A, 3 (Diesel)		CLS-22 Leaf springs (86)			CLS-23 Leaf springs (87)	
NOTE	(86) Fit with CUBK258 U Bolt kit & urethane bush kit CUK729						
NOTE	(87) Fit with CUBK258 U Bolt kit & urethane bush kit CUK730						
1956-on	Land Rover SWB 88" Series 1, 2, 2A, 3 Petrol & Diesel models	LAND ROVER SWB PROGRESSIVE RATE (PARABOLIC) SPRING KITS AVAILABLE IN RAISED HEIGHT OPTION ONLY PART NO. CLRK-01					
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
LAND ROVER continued							
LAND ROVER 90 SWB							
1984-on	90 SWB		CRFS-218	CRFH-218		CRRS-219	CRRH-219
LAND ROVER 110 & DEFENDER							
1984-91	Land Rover 110 Petrol		CRFS-200	CRFH-200		CRRS-10	CRRH-10
1984-91	Land Rover 110 Diesel		CRFS-201	CRFH-201		CRRS-10	CRRH-10
1984-91	Land Rover 110 Trayback		FRONTS AS ABOVE			CRRS-11	CRRH-11
1992-01	Land Rover Defender						
	110 & TD5		CRFS-26	CRFH-26		CRRS-216	CRRH-216
1992-01	Land Rover Defender						
	110 & TD5						
	Extra heavy duty option			CRFH-28			CRRH-29
1992-01	Land Rover Defender 130		CRFS-26	CRFH-26			CRRH-217
LAND ROVER DISCOVERY							
1991-99	Land Rover Discovery		CRFS-20	CRFH-20		CRRS-202	CRRH-202
1991-99	Land Rover Discovery						
	Extra heavy duty option			CRFH-24			CRRH-25
1999-on	Land Rover Discovery						
	TD5 (non self levelling)		CRFS-22	CRFH-22		CRRS-214	CRRH-214
1999-on	Land Rover Discovery						
	TD5 (non self levelling)						
	Extra heavy duty option						CRRH-215
RANGEROVER							
1972-95	Range Rover		CRFS-20	CRFH-20		CRRS-21	CRRH-21
1972-95	Range Rover						
	50mm raised option			CRFH-211			CRRH-27
1972-95	Range Rover extra H/Duty						
	50mm raised option			CRFH-212			CRRH-213
SEAT							
1994-on	Cordoba	CSFL-210			CSRL-211	CSRS-211	
1994-on	Ibiza (not GTI)	CSFL-210			CSRL-211		
SSANGYONG							
1996-on	Musso 4WD Wagon					CSRS-239	CSRH-239
NOTE							
## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
SSANGYONG continued							
2005-on	Musso Crewcab						CSRH-224
2003-on	Rexton			CSFH-40			CSRH-225
SUBARU							
1978-93	Brumby 4WD Ute		CSFS-212				
FORESTER							
1997-02	Forester 4WD Wagon	CSFL-226	CSFS-226	CSFH-226	CSRL-227 (4)	CSRS-227 (4)	CSRH-227 (4)
2002-on	Forester 4WD Wagon	CSFL-228	CSFS-228		CSRL-229 (4)	CSRS-229	CSRH-229
NOTE	(4) For self levelling type rear shock models replace shocks with appropriate conventional part number.						
IMPREZA SEDAN							
1993-00	Impreza Sedan (not WRX)	CSFL-03	CSFS-03		CSRL-04	CSRS-04	
1993-00	Impreza Sedan (not WRX) Superlow option ##	CSFL-03L			CSRL-04L		
2000-02	Impreza Sedan (not WRX)	CSFL-03	CSFS-03		CSRL-16		
2000-02	Impreza Sedan (not WRX) Superlow option ##	CSFL-03L			CSRL-16L		
2003-on	Impreza Sedan MY03	CSFL-03	CSFS-03		CSRL-230		
2003-on	Impreza Sedan MY03 Superlow option ##	CSFL-03L			CSRL-230L		
IMPREZA WAGON / HATCH							
1993-00	Impreza Wagon / Hatch	CSFL-03	CSFS-03		CSRL-05	CSRS-214	
1993-00	Impreza Wagon / Hatch Superlow option ##	CSFL-03L			CSRL-231		
IMPREZA WRX SEDAN							
1993-98	Impreza WRX Sedan	CSFL-03	CSFS-05		CSRL-04	CSRS-201	CSRS-04
1993-98	Impreza WRX Sedan Superlow option ##	CSFL-03L			CSRL-04L		
1999-00	Impreza WRX Sedan	CSFL-213			CSRL-213		
2000-02	Impreza WRX Sedan	CSFL-03	CSFS-05		CSRL-16		
2000-02	Impreza WRX Sedan Superlow option ##	CSFL-03L			CSRL-16L		
2003-on	Impreza WRX Sedan	CSFL-03	CSFS-05		CSRL-41		
2003-on	Impreza WRX Sedan Superlow option ##	CSFL-03L			CSRL-41L		
2003-on	Impreza WRX STi	CSFL-03L			CSRL-41L		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
SUBARU continued							
IMPREZA WRX HATCH							
1993-98	Impreza RX / WRX Hatch	CSFL-03	CSFS-05		CSRL-05	CSRS-214	
1993-98	Impreza RX / WRX Hatch Superlow option ##	CSFL-03L			CSRL-231		
1999-00	Impreza RX / WRX Hatch	CSFL-214			CSRL-215		
2000-02	Impreza RX / WRX Hatch	CSFL-03	CSFS-05		CSRL-42		
2000-02	Impreza RX / WRX Hatch Superlow option ##	CSFL-03L			CSRL-232		
2003-on	Impreza WRX Hatch	CSFL-03	CSFS-05		CSRL-233		
2003-on	Impreza WRX Hatch Superlow option ##	CSFL-03L			CSRL-233L		
LEONE SEDAN & WAGON							
1985-93	Leone Sedan (88)		CSFS-216			CSRS-06 (89)	
1985-93	Leone Wagon (88)		CSFS-216			CSRS-07 (89)	
NOTE (88) Suits O.E coil sprung types and airbag conversions using appropriate shocks, bearing plates, etc.							
NOTE (89) Leone rear shocks can have different height spring platforms which will effect ride height.							
LEGACY SEDAN Refer to notes regarding Legacy rear coils.							
1989-93	Legacy Sedan	CSFL-10 (88)	CSFS-10 (88)		CSRL-10(88/90)	CSRS-10(88/90)	
1989-91	Legacy RS & NZ GT Turbo	CSFL-11	CSFS-202		CSRL-10 (90)	CSRS-10 (90)	
1991-93	Legacy RS & NZ GT Turbo (facelift model)	CSFL-11	CSFS-202		CSRL-05 (90)	CSRS-221 (90)	
1991-93	Legacy RS & NZ GT Turbo (facelift model) Superlow option ##	CFFL-46			CSRL-04 (90)		
1994-98	Legacy Sedan & RS Turbo	CSFL-11	CSFS-202		CSRL-14 (90)	CSRS-14 (90)	
1994-98	Legacy Sedan & RS Turbo Superlow option ##	CFFL-46			CSRL-14L (90)		
1994-98	Legacy GTB Sedan fitted with Bilstein shocks	CFFL-46			CSRL-14L (90)		
1997-99	Legacy RX 2.5 Sedan	CSFL-11	CSFS-202		CSRL-15 (90)	CSRS-240 (90)	
1999-03	Legacy Sedan incl. B4	CSFL-13	CSFS-236		CSRL-17 (90)	CSRS-17 (90)	
2003-on	Legacy Sedan incl. B4/GT	CSFL-237			CSRL-17	CSRS-17	
NOTE (88) Suits O.E coil sprung types and airbag conversions using appropriate shocks, bearing plates, etc.							
NOTE (90) For all Legacy rear coils it is necessary to measure O.E coil inside diameters & refer to the measurement chart.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
SUBARU continued							
LEGACY WAGON		Refer to notes regarding Legacy rear coils.					
1989-93	Legacy Wagon	CSFL-10 (88)	CSFS-10 (88)		CSRL-203(88/90)	CSRS-13 (88/90)	
1989-93	Legacy Wagon						
	Superlow option ##	CFFL-46			CSRL-203L (90)		
1989-93	Legacy Wagon GT Turbo	CSFL-11	CSFS-202		CSRL-12 (90)	CSRS-12 (90)	
1989-93	Legacy Wagon GT Turbo						
	Superlow option ##	CFFL-46			CSRL-219 (90)		
1994-98	Legacy Wagon 2WD	CSFL-11	CSFS-202		CSRL-14 (90)	CSRS-14 (90)	
1994-98	Legacy Wagon 2WD						
	Superlow option ##	CFFL-46			CSRL-14L (90)		
1994-98	Legacy Wagon 4WD	CSFL-10	CSFS-10		CSRL-15 (90)	CSRS-240 (90)	
1994-98	Legacy Wagon 4WD						
	Superlow option ##	CSFL-223			CSRL-223 (90)		
1994-98	Legacy Wagon GT						
	Turbo 4WD	CSFL-223	CSFS-202		CSRL-223 (90)	CSRS-223 (90)	
1998-99	Legacy RX 2.5 Wagon	CSFL-11	CSFS-202		CSRL-15 (90)	CSRS-240 (90)	
1999-on	Legacy Wagon	CSFL-13	CSFS-241		CSRL-18 (90)	CSRS-18 (90)	CSRH-18 (90)
NOTE (88) Suits O.E coil sprung types and airbag conversions using appropriate shocks, bearing plates, etc.							
NOTE (90) For all Legacy rear coils it is necessary to measure O.E coil inside diameters & refer to the measurement chart.							
1996-98	Outback	CSFL-204	CSFS-204		CSRL-15	CSRS-240	CSRH-205
1999-on	Outback 4 cyl.						
	excl. self levelling rear	CSFL-220			CSRL-220	CSRS-220	CSRH-220
2001-on	Outback H6 6 cyl.						
	excl. self levelling rear		CSFS-242			CSRS-242	CSRH-242
LEGACY REAR COIL MEASUREMENT CHART (all measurements are <u>internal</u> sizes of coils)							
96mm top 138mm bottom conical coil					134mm Parallel coil		
CSRL-10 CSRS-10					CSRL-223 CSRS-223 CSRL-14		
CSRL-203					CSRL-14L CSRS-14 CSRL-15		
CSRL-203L					CSRS-240		
CSRS-13							
84mm - 78mm (parallel with reduction)							
CSRL-17 CSRS-17 CSRL-18							
CSRS-18							
CSRH-18							
120mm top, 140mm bottom (parallel with reduction)							
CSRL-05 CSRL-218 CSRL-219 CSRL-12 CSRS-12							
CSRL-04 CSRS-221							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
SUZUKI							
1994-98	Alto	CHFL-34	CHFS-34		CHRL-34	CHRS-34	
1995-02	Baleno Sedan & Hatch	CSFL-30	CSFS-30		CSRL-31	CSRS-31	
1996-on	Baleno/Cultus Wagon						
	GC-W Series	CSFL-243			CSRL-243	CSRS-243	
1995-98	Sierra SJ80 (coil sprung)		CSFS-32	CSFR-32		CSRS-33	CSRR-33
1989-96	Swift SF & Gti	CHFL-34	CHFS-34		CHRL-34	CHRS-34	
1988-98	Vitara 2 Door SWB 1.6ltr	CSFL-34	CSFS-34	CSFR-34	CSRL-35	CSRS-35	CSRR-35
1988-98	Vitara 2 Door SWB 2.0ltr			CSFH-245		CSRS-35	CSRR-35
1991-98	Vitara 4 Door LWB	CSFL-34		CSFR-36	CSRL-35	CSRS-36	CSRR-36
1995-98	Vitara V6 4 Door LWB	CSFL-34 (91)		CSFR-37	CSRL-35	CSRS-36	CSRR-36
1997-02	Grand Vitara V6	CSFL-38	CSFS-38	CSFR-38	CSRL-39	CSRS-39	CSRR-39
2001-on	Grand Vitara XL7	CSFL-244	CSFS-244	CSFH-244	CSRL-244 (2)	CSRS-43	CSRH-43
NOTE (91) Will lower vehicle approx. 60mm - Bump stops will require modification.							
NOTE (2) Must fit short shock to retain coil.							
SJ JEEP							
1982-90	SJ 410 4WD		CLS-24 (92)			CLS-25 (93)	
1982-90	SJ 410 4WD Heavy Duty		CLS-24HD (92)			CLS-25HD (93)	
1982-90	SJ 413 4WD		CLS-26 (92)			CLS-27 (93)	
1982-90	SJ 413 4WD Heavy Duty		CLS-26HD (92)			CLS-27HD (93)	
1994-97	MG410 Farmworker		CLS-24A (92)			CLS-25A (94)	
NOTE (92) Fit with CUBK654 U Bolt kit & urethane bush kit CUK734							
NOTE (93) Fit with CUBK655 U Bolt kit & urethane bush kit CUK734							
NOTE (94) Fit with CUBK655-1 U Bolt kit & urethane bush kit CUK734							
TOYOTA							
ALTEZZA							
1999-03	SXE10 RS200 Altezza	CLFL-02			CLRL-02		
1999-03	Lexus IS200						
	Superlow option ##	CLFL-02L (52)			CLRL-02L (52)		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
ARISTO							
1992-96	JZS147 / UZS145 Aristo	CTFL-86			CTRL-86		
AVALON							
1996-on	Avalon MX10 V6	CTFL-205			CTRL-205	CTRS-205	CTRR-205
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
TOYOTA continued							
CALDINA							
1992-98	Caldina ST195 4WD Station Wagon	CTFL-242	CTFS-242		CTRL-242	CTRS-242	CTRR-242
1997-on	Caldina ST210 2WD Station Wagon	CTFL-244	CTFS-244		CTRL-244	CTRS-244	CTRR-244
1997-on	Caldina ST215 4WD Station Wagon	CTFL-243	CTFS-243		CTRL-243	CTRS-243	CTRR-243
CAMRY SEDAN							
1983-87	SV10 & 11	CTFL-200	CTFS-200		CTRL-245	CTRS-02	CTRS-04
1987-92	SV 20, 21, 22 Sedan	CTFL-03	CTFS-03		CTRL-245	CTRS-02	CTRS-04
1988-92	ZV21 V6 Sedan	CTFL-05	CTFS-05		CTRL-02	CTRS-02	CTRS-04
1990-on	V30,32,33,40,41 4 cyl.	CTFL-204A	CTFS-204A		CTRL-202	CTRS-202	CTRR-202
1990-on	V30,32,33,41 6 cyl.	CTFL-204	CTFS-204		CTRL-202	CTRS-202	CTRR-202
1993-97	V10 Sedan 4 cyl.	CTFL-06	CTFS-06		CTRL-07	CTRS-07	CTRS-08
1993-97	V10 Sedan 6 cyl.	CTFL-09	CTFS-09		CTRL-07	CTRS-07	CTRS-08
1993-97	V10 Sedan 6 cyl. Superlow option ##	CTFL-06			CTRL-07L		
7/97-02	V20 Sedan 4 cyl.	CTFL-76	CTFS-246		CTRL-77	CTRS-07	CTRS-08
7/97-02	V20 Sedan 6 cyl.	CTFL-78	CTFS-247		CTRL-77	CTRS-07	CTRS-08
7/97-02	V20 Sedan 6 cyl. Superlow option ##	CTFL-76			CTRL-07L		
2002-on	ACV36 Sedan 4 cyl.	CTFL-78	CTFS-247		CTRL-77	CTRS-07	CTRS-08
2002-on	MCV36 Sedan 6 cyl.	CTFL-85			CTRL-77	CTRS-07	CTRS-08
CAMRY WAGON							
1987-92	SV 20, 21, 22 Wagon	CTFL-03	CTFS-03		CTRL-04	CTRS-04	CTRR-04
1993-97	V10 Wagon 4 cyl.	CTFL-06	CTFS-06		CTRL-248	CTRS-08	CTRR-08
1993-97	V10 Wagon V6	CTFL-09	CTFS-09		CTRL-248	CTRS-08	CTRR-08
7/97-02	V20 Station Wagon 4 cyl.	CTFL-76	CTFS-246		CTRL-248	CTRS-08	CTRR-08
7/97-02	V20 Station Wagon 6 cyl.	CTFL-78	CTFS-247		CTRL-248	CTRS-08	CTRR-08
CARIB							
1998-on	AE115 Station Wagon	CTFL-29			CTRL-200W	CTRS-200W	CTRR-200W
1998-on	AE115 Station Wagon Superlow option ##	CTFL-29L			CTRL-200L		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
TOYOTA continued							
CARINA							
1993-on	Carina ST200, 202, 203 & 205	CTFL-20			CTRL-27	CTRS-17	
1996-on	Carina AT210, 211, 212	CTFL-249			CTRL-249	CTRS-249	
CELICA							
1971-76	TA20 & TA22	CTFL-10	CTFS-10		CTRL-11	CTRS-11	
1975-77	TA23, RA23 & RA28	CTFL-13	CTFS-13		CTRL-11	CTRS-11	
1977-82	RA 40 Coupe & Liftback	CTFL-13	CTFS-13		CTRL-14	CTRS-14	
1982-83	RA 60 Coupe & Liftback	CTFL-15 (97)	CTFS-15 (97)		CTRL-14	CTRS-14	
1983-85	RA63 & SA63 (indep. rear)	CTFL-15	CTFS-15		CTRL-19	CTRS-19	
NOTE (97) VARIATIONS MAY OCCUR IN THIS MODEL - PLEASE MEASURE O.E COILS BEFORE ORDERING							
CTFL-13/CTFS-13 = 135mm I.D reducing to 88mm eye							
CTFL-15/CTFS-15 = 135mm I.D reducing to 116mm eye							
1985-89	ST162 Coupe & Liftback	CTFL-206	CTFS-43		CTRL-17	CTRS-17	
1985-89	ST162 Coupe & Liftback Superlow option ##	CTFL-206L			CTRL-27		
1989-93	ST182 / ST184	CTFL-207	CTFS-18		CTRL-17	CTRS-17	
1989-93	ST182 / ST184 Superlow option ##	CTFL-20			CTRL-27		
1989-92	ST185 GT4 4WD Turbo	CTFL-207	CTFS-18		CTRL-17	CTRS-17	
1989-92	ST185 GT4 4WD Turbo Superlow option ##	CTFL-20			CTRL-27		
1990-92	ST183 Celica Convertible	CTFL-250	CTFS-250		CTRL-250	CTRS-250	
1993-99	ST202 / 204 / 205	CTFL-20	CTFS-20		CTRL-17	CTRS-17	
1993-99	ST202 / 204 / 205 Superlow option ##	CTFL-269 (52)			CTRL-269 (52)		
1999-on	ZZT231 Coupe	CTFL-79			CTRL-79		
NOTE (52) SUPERLOW coils may lower vehicle under 100mm ground clearance depending on wheel & tyre diameter. Certification will be required if this is the case.							
COROLLA SEDAN / HATCH / WAGON RWD							
1970-74	KE20, 25 & 26	CTFL-21	CTFS-21		LB401 (51mm)	*** (Lowering Blocks)	
1975-81	KE30-55	CTFL-201	CTFS-202		LB402 (38mm)	*** (Lowering Blocks)	
1975-81	KE30-55 Superlow option ##	CTFL-201L			LB405 (51mm)	*** (Lowering Blocks)	
1974-81	KE36 & 38 Wagon	CTFL-201	CTFS-202		LB406 (38mm)	*** (Lowering Blocks)	
1974-81	KE36 & 38 Wagon Superlow option ##	CTFL-201L			LB403 (51mm)	*** (Lowering Blocks)	
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT		REAR		
		LOW	STD	RAISED	LOW	STD
COROLLA SEDAN / HATCH / WAGON RWD						
1981-85	KE70 & AE70 Sedan	CTFL-23 (98)	CTFS-23 (98)		CTRL-25	CTRS-25
1981-85	KE70 & AE70 Wagon	CTFL-23 (98)	CTFS-23 (98)		LB404 (51mm)	*** (Lowering Blocks)
1979-83	TE 71 & TE72	CTFL-34 (98)	CTFS-34 (98)		CTRL-208	CTRS-208
1979-7/81	T18	CTFL-34 (98)	CTFS-34 (98)		CTRL-208	CTRS-208
8/81-83	T18	CTFL-203 (98)	CTFS-203 (98)		CTRL-208	CTRS-208
1983-86	AE85/86 Sprinter	CTFL-203A(98)	CTFS-203 (98)		CTRL-25	CTRS-25
NOTE (98) For all these model Corolla front coils it is necessary to measure O.E coil inside diameters & refer to the measurement chart.						
		CTFL-23 / CTFS-23 = 102mm parallel coil CTFL-34 / CTFS-34 = 121mm-76mm reduction CTFL-203 / CTFS-203 = 123mm-98mm reduction CTFL-203A / CTFS-203A = 114-93mm reduction CTFL-203B / CTFS-203B = 103mm-77mm reduction				
COROLLA SEDAN / HATCH FWD & 4WD						
1985-89	AE80 & 82 / EE80					
	Single Cam (118mm I.D coil)	CTFL-26 (7)	CTFS-26 (7)		CTRL-27	CTRS-17
1985-89	AE80 & 82 / EE80					
	Single Cam (118mm I.D coil)					
	Superlow option ##	CTFL-209 (7)			CTRL-38	
1986-89	AE82 Twin Cam					
	(125mm I.D coil)	CTFL-29 (7)	CTFS-29 (7)		CTRL-27	CTRS-17
1986-89	AE82 Twin Cam					
	(125mm I.D coil)					
	Superlow option ##	CTFL-29L (7)			CTRL-38	
NOTE (7) Measure & advise O.E coil spring measurements before ordering.						
1989-94	EE90 Sedan	CTFL-29	CTFS-29		CTRL-17	CTRS-17
1989-94	EE90 Sedan					
	Superlow option ##	CTFL-29L			CTRL-27	
1989-94	AE92-96 Sedan & Hatch	CTFL-29	CTFS-29		CTRL-17	CTRS-17
1989-94	AE92-96 Sedan & Hatch					
	Superlow option ##	CTFL-29L			CTRL-27	
1987-95	AE 95 4WD		CTFS-200			CTRS-30
1994-99	AE100, 101, 102, 111, 112	CTFL-29	CTFS-29		CTRL-37	CTRS-37
1994-99	AE100, 101, 102, 111, 112					
	Superlow option ##	CTFL-29L			CTRL-37A	
1994-99	AE101 20V GT fitted with					
	Superstrut suspension	CTFL-29L			CTRL-37A	CTRL-37
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
COROLLA SEDAN / HATCH FWD & 4WD continued							
2001-on	Corolla ZZE122 / 123						
	Sedan & Hatch	CTFL-83			CTRL-84	CTRS-84	
2001-on	Corolla ZZE122 / 123						
	Sedan & Hatch						
	Superlow option ##	CTFL-83L			CTRL-84L		
COROLLA WAGON 4WD / FWD							
1983-88	AL25 4WD Wagon					CTRS-210	CTRR-210
1987-95	AE 95 4WD Wagon		CTFS-200			CTRS-35	CTRR-211
1987-92	EE 90 / AE91 & 92 Wagon	CTFL-29	CTFS-29		CTRL-215	CTRS-215	CTRR-215
1987-92	EE 90 / AE91 & 92 Wagon						
	Superlow option ##	CTFL-29L			CTRL-215L		
1991-on	CE102-108 / EE108	CTFL-29			LB407 (38mm)	*** (Lowering Blocks)	
1991-on	CE102-108 / EE108						
	Superlow option ##	CTFL-29L			LB408 (51mm)	*** (Lowering Blocks)	
1992-97	EE100/101 / AE101 Wagon	CTFL-29	CTFS-29		CTRL-200W	CTRS-200W	CTRR-200W
1992-97	EE100/101 / AE101 Wagon						
	Superlow option ##	CTFL-29L			CTRL-200L		
1998-on	AE111/115 Station Wagon	CTFL-29	CTFS-29		CTRL-200W	CTRS-200W	CTRR-200W
1998-on	AE111/115 Station Wagon						
	Superlow option ##	CTFL-29L			CTRL-200L		
2001-on	Corolla ZZE122 / 123						
	Station Wagon	CTFL-83			CTRL-251	CTRS-84W	CTRR-84W
2001-on	Corolla ZZE122 / 123						
	Station Wagon						
	Superlow option ##	CTFL-83L			CTRL-251L		
CORONA							
1972-77	Corona MK11					CTRL-216	CTRS-216
1974-79	RT104 Sedan		CTFS-40				
1974-79	RT118 Wagon		CTFS-40				
1979-83	XT130 Sedan	CTFL-217	CTFS-217		CTRL-14	CTRS-14	
1979-83	XT130 & XT131 Wagon	CTFL-217	CTFS-217				
1979-83	RT132, RT33	CTFL-217	CTFS-217		CTRL-14	CTRS-14	
1983-87	ST141 & RT142 Wagon	CTFL-220	CTFS-15		CTRL-41	CTRS-41	
1983-85	ST141 & RT142 Sedan						
	without IRS	CTFL-220	CTFS-15		CTRL-42	CTRS-42	CTRS-41
1985-87	RT142 Sedan with IRS	CTFL-220	CTFS-15		CTRL-19	CTRS-19	
1983-92	CT / ST150-177 Sedan	CTFL-221	CTFS-43		CTRL-221	CTRS-02	CTRS-04
1983-92	CT / ST150-177 Sedan						
	Superlow option ##	CTFL-221L			CTRL-221L		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
CORONA continued							
1987-92	Corona MK11, Chaser & Grande LX80	CTFL-222	CTFS-222		CTRL-222	CTRS-222	
1992-95	Grande LX90					CTRS-31	
1992-96	ST190 & 191	CTFL-44	CTFS-44		CTRL-223	CTRS-223	CTRR-223
1992-96	ST190 & 191 Wagon	CTFL-44	CTFS-44		CTRL-203	CTRS-203	CTRR-04
1996-on	ST210-211 Corona / Premo	CTFL-252			CTRL-252	CTRS-252	CTRR-252
CRESSIDA							
1977-81	MX32 Sedan					CTRS-45	CTRR-45
1981-84	MX62 Sedan					CTRS-45	CTRR-45
1981-84	MX62 Wagon				CTRL-47	CTRS-47	
1984-85	MX72 Sedan without IRS					CTRS-48	
1985-89	GX71 Sedan	CTFL-268			CTRL-268		
1985-88	MX73 Sedan with IRS					CTRS-49	
1988-93	MX83 / LX80 Chaser	CTFL-50	CTFS-50		CTRL-51	CTRS-51	
CROWN							
1963-79	Crown MS 40-95	CTFL-224	CTFS-224			CTRS-47	CTRR-47
1979-83	MS111 & 112 Sedan	CTFL-224	CTFS-224			CTRS-253	
1983-88	MS123 & 125 Sedan with IRS	CTFL-224	CTFS-224			CTRS-53	
1992-on	JZS 141-145	CTFL-227	CTFS-227			CTRS-254	
CURREN							
1994-98	Curren ST205 / ST206	CTFL-20			CTRL-27		
CYNOS							
1991-99	EL44 & EL52	CTFL-64			CTRL-63	CTRS-63	
ECHO							
1999-on	Echo 2 & 4 Door	CTFL-28			CTRL-28	CTRS-255	
MR-2							
1985-89	MR-2 AWII	CTFL-54	CTFS-54		CTRL-55	CTRS-55	
1989-99	MR-2 SW 20	CTFL-56	CTFS-56		CTRL-57	CTRS-57	
2000-on	MR-2	CTFL-87			CNRL-256		

NOTE

COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
TOYOTA continued							
PASEO							
1991-99	EL44 & EL54	CTFL-64			CTRL-63	CTRS-63	
RAV-4							
1994-00	SXA10 SWB	CTFL-58	CTFS-58	CTFR-58	CTRL-59	CTRS-59	CTRR-59
1994-00	SXA11 LWB	CTFL-58	CTFS-58	CTFR-58	CTRL-257	CTRS-257	CTRR-257
2000-02	ACA20 SWB	CTFL-58	CTFS-58	CTFR-58	CTRL-88	CTRS-88	CTRR-88
2000-02	ACA20 LWB	CTFL-58	CTFS-58	CTFR-58	CTRL-258	CTRS-258	CTRR-258
STARLET							
1979-85	KP60, 61 & 62	CTFL-60			CTRL-61	CTRS-61	
1979-85	KP60, 61 & 62						
	Superlow option ##	CTFL-60L (5)			CTRL-233 (2)		
NOTE	(5) Will require short struts or modification to retain coils at full extension.						
NOTE	(2) Must fit short shock to retain coil.						
SUPRA							
1987-90	EP71 2 Door Turbo	CTFL-259			CTRL-89 (5)		
12/89-5/94	EP80, 81 & 82	CTFL-64			CTRL-63	CTRS-63	
5/94-12/95	EP80, 81 & 82	CTFL-64			CTRL-65	CTRS-65	
1996-2000	EP90 & 91	CTFL-64			CTRL-65	CTRS-65	
NOTE	(5) Will require short struts or modification to retain coils at full extension.						
WINDOM							
1992-96	VCV10/11 (excl. electronic adjustable / Toyota Active Suspension)	CTFL-09	CTFS-09		CTRL-07	CTRS-07	CTRS-08
1992-96	VCV10/11 (excl. electronic adjustable / Toyota Active Suspension)						
	Superlow option ##	CTFL-06			CTRL-07L		
1996-on	MCV20/21	CTFL-78	CTFS-247		CTRL-77	CTRS-07	CTRS-08
1996-on	MCV20/21						
	Superlow option ##	CTFL-76			CTRL-07L		
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT		REAR		
		LOW	STD	RAISED	LOW	STD
TOYOTA COMMERCIAL						
BUNDERA						
1985-89	Bundera LJ70 & 73 RJ70 & 73		CTFS-100	CTFR-100		CTRS-101 CTRR-101
ESTIMA / PREVIA / TARAGO / EMINA / LUCIDA						
1990-00	2 & 4WD TCR10 & 20 with Live axle rear end		CTFS-74	CTFH-230		CTRS-111 CTRH-230
1990-00	2 & 4WD TCR11 & 21 with IRS rear end		CTFS-74	CTFH-230		CTRS-82 CTRR-82
2000-on	CR30 2WD Beam axle rear					CTRS-82 CTRR-82
GRANVIA						
1995-on	Granvia 2WD					CTRS-91
1995-on	Granvia 4WD					CTRS-92
HIACE -coil sprung rear						
1983-on	YH/LH50 - 70 Series LWB 2WD coil sprung rear					CTRS-80 (27) CTRH-80 (27)
1988-on	100 Series LWB 2WD coil sprung rear				CTRL-261 (6)	CTRS-81 CTRH-81
1989-on	100 Series LWB 4WD coil sprung rear					CTRS-262
1994-on	KZH100 Supercustom LWB 2WD (3.0 ltr)				CTRL-263	CTRS-263 CTRR-263
NOTE (27) Check O.E coil inside diameters before ordering. CTRS-80 & CTRH-80 are 130mm I.D reducing to 100mm bottom end.						
NOTE (6) May require shock modification to retain coil at full extension.						
HIACE -leaf sprung rear						
1967-84	All models				LB409 (99)	*** (Lowering Blocks)
1984-on	All models				LB410 (106)	*** (Lowering Blocks)
1990-on	100 Series ZR Van				LB410 (106)	CLS-64 (100)
1990-on	100 Series ZR Van Heavy Duty option					CLS-64A (100)
NOTE (99) Lowering blocks - LB409 suits models with 75mm I.D U bolts & 19mm centrebolt heads. Check O.E U bolt & centrebolt head dimensions before ordering as these can vary.						
NOTE (106) Lowering blocks - LB410 suits models with 75mm I.D U bolts & 16mm centrebolt heads. Check O.E U bolt & centrebolt head dimensions before ordering as these can vary.						
NOTE (100) Fit with urethane bush kit CUK728T. Advise O.E U bolt dimensions before ordering as these can vary. CLS-64A will require longer U bolts to accommodate extra leaf fitted to spring pack.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	FRONT			REAR		
		LOW	STD	RAISED	LOW	STD	RAISED
TOYOTA HILUX							
HILUX 2WD							
1968-78	RN10 - 27		CTFS-102		LB409 (99)	*** (Lowering Blocks)	
1978-84	LN30 & 40, RN30 - 41		Torsion bars CTB-02		LB409 (99)	*** (Lowering Blocks)	
1984-96	LN50 - 90						
	RN50 - 90						
	YN50 - 85		Torsion bars CTB-13		LB410 (106)	*** (Lowering Blocks)	
1997-02	LN, RZN Series		Torsion bars CTB-13		LB412 (107)	*** (Lowering Blocks)	
2005-on	Hilux 2WD	CTFL-93			LB412	*** (Lowering Blocks)	
NOTE (99) Lowering blocks - LB409 suits models with 75mm I.D U bolts & 19mm centrebolt heads. Check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
NOTE (106) Lowering blocks - LB410 suits models with 75mm I.D U bolts & 16mm centrebolt heads. Check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
NOTE (107) Lowering blocks - LB412 suits models with 75mm I.D U bolts & 14mm centrebolt heads. Check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
HILUX / 4 RUNNER / SURF 4WD with leaf springs front & rear							
1979-97	All leaf spring models						
	Petrol & Deisel		CLS-10 (41)(108)	CLH-10 (41)(108)		CLS-12 (41) (109)	CLH-12 (41) (109)
1979-97	All leaf spring models						
	50mm Lift		CLH-10R (41) (108) (129)				CLH-12R (41) (109)
NOTE (41) Long travel shocks recommended.							
NOTE (108) Fit with urethane bush kit CUK732 & U bolt kit CUBK437A.							
NOTE (109) Fit with urethane bush kit CUK733 & U bolt kit CUBK437.							
NOTE (129) Driveshaft requires modification - certification may be required							
HILUX / 4 RUNNER / SURF 4WD with torsion bar front & leaf rear							
1988-97	LN61 & YN63.		Torsion bars CTB-14			CLS-12 (130)	CLH-12 (130)
1997-on	LN107/111/167/172/176.						
	RN106/110. KZN165.RZN169R		Torsion bars CTB-14			CLS-13 (131)	CLH-13 (131)
NOTE (130) Suits models with 30mm rear spring eye. Fit with urethane bush kit CUK733 & U bolt kit CUBK437.							
NOTE (131) Suits models with 40mm rear spring eye. Fit with urethane bush kit CUK758 & U bolt kit CUBK437.							
HILUX / 4 RUNNER / SURF 4WD with torsion bar front & coil sprung rear							
1989-97	LN, VZN 130		Torsion bars CTB-14 (1064mm)			CTRS-103	CTRR-103 (41)
1989-97	LN, VZN 130						
	Extra Heavy Duty rear						CTRR-103HD (41)
NOTE (41) Long travel shocks recommended.							
1995-on	KZN185		CTFS-73	CTFR-73		CTRS-74	CTRR-74
1995-on	KZN185						
	Extra heavy duty option						CTRR-74X
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
HILUX 4WD with coil front & leaf rear							
2005-on	Hilux 4WD	CTFL-266	CTFS-266	CTFR-266	CLS-74L	CLS-74	CLS-74R
2005-on	Hilux 4WD Extra heavy duty rear						CLS-74HD
LANDCRUISER 40 SERIES S.W.B							
1959-79	S.W.B Landcruiser with 25mm I/D eyes		CLS-28 (110)(111)			CLS-29(110)(112)	
1979-85	S.W.B Landcruiser with 35mm I/D eyes		CLS-30 (110)(114)			CLS-31(110)(114)	
NOTE (110) Check spring eye sizes before ordering.							
NOTE (111) Fit with urethane bush kit CUK713 & U bolt kit CUBK453K							
NOTE (112) Fit with urethane bush kit CUK713 & U bolt kit CUBK453-3							
NOTE (114) Fit with urethane bush kit CUK719 & U bolt kit CUBK453-3							
LANDCRUISER 45 / 47 SERIES L.W.B							
1969-80	L.W.B Landcruiser FJ/HJ45 with 25mm front eyes & 30mm rear eyes		CLS-66 (110)(115)			CLS-65 (110)(113)	
1980-86	L.W.B Landcruiser FJ/HJ45 with 35mm eyes front & rear		CLS-67 (110)(116)			CLS-68 (110)(119)	
NOTE (110) Check spring eye sizes before ordering.							
NOTE (111) Fit with urethane bush kit CUK713 & U bolt kit CUBK416							
NOTE (113) Fit with urethane bush kit CUK714 & U bolt kit CUBK416							
NOTE (115) Fit with urethane bush kit CUK713 & U bolt kit CUBK453-1							
NOTE (116) Fit with urethane bush kit CUK719 & U bolt kit CUBK449K							
NOTE (119) Fit with urethane bush kit CUK719 & U bolt kit CUBK416							
LANDCRUISER 55 SERIES							
1969-80	Landcruiser 55 series		CLS-69 (113)			CLS-70 (113)	
NOTE (113) Fit with urethane bush kit CUK714 & U bolt kit CUBK416							
LANDCRUISER 60 SERIES							
1980-90	FJ & HJ 60-62		CLS-08 (118)	CLH-08 (118)(41)		CLS-14 (117)	CLH-14 (117) (41)
1980-90	FJ & HJ 60-62 Extra Heavy Duty rear					CLS-14HD (117)	
NOTE (117) Fit with urethane bush kit CUK719 & U bolt kit CUBK453-1							
NOTE (118) Fit with urethane bush kit CUK719 & U bolt kit CUBK436							
NOTE (41) Long travel shocks recommended.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	FRONT		REAR		
		LOW	STD	RAISED	LOW	STD
TOYOTA LANDCRUISER continued						
LANDCRUISER RJ/LJ70-73 - coil sprung						
1985-90	Landcruiser LJ70 & 73 RJ70 & 73		CTFS-100	CTFR-100	CTRS-101	CTRR-101
LANDCRUISER 70 SERIES S.W.B & M.W.B - leaf sprung						
1984-90	BJ/FJ 70-73		CLS-15 (118)	CLH-15 (118)(41)	CLS-14 (117)	CLH-14 (117) (41)
NOTE (117) Fit with urethane bush kit CUK719 & U bolt kit CUBK453-1						
NOTE (118) Fit with urethane bush kit CUK719 & U bolt kit CUBK436						
NOTE (41) Long travel shocks recommended.						
LANDCRUISER FJ / HJ / FZJ / HZJ 75						
1984-99	75 Series models		CLS-71 (118)		CLS-72 (120)	
1984-99	75 Series models Heavy Duty option		CLS-71HD (118)		CLS-72HD (120)	
NOTE (118) Fit with urethane bush kit CUK719 & U bolt kit CUBK436						
NOTE (120) Fit with urethane bush kit CUK720 & U bolt kit CUBK453-3						
LANDCRUISER F/H/PZJ78-79 SERIES						
1999-on	78 Series Troopcarrier		CTFS-117	CTFR-117	CLS-73 (121)	
1999-on	79 Series Trayback		CTFS-117	CTFR-117	CLS-73HD (122)	
NOTE (121) Fit with urethane bush kit CUK743 & U bolt kit CUBK416						
NOTE (122) Fit with urethane bush kit CUK743A & U bolt kit CUBK416						
LANDCRUISER 80 SERIES Pre 8/91						
1990-8/91	80 Series		CTFS-104	CTFR-104	CTRS-105	CTRR-105
1990-8/91	80 Series 60mm lift			CTFR-115 (81)		CTRR-115 (81)
1990-8/91	80 Series 100mm lift			CTFR-118 (81)		CTRR-118 (81)
NOTE (81) Long travel shocks necessary when using these part numbers. Heights shown are for std. vehicles without load bearing accessories. Pandarod rod & castor alteration kits recommended.						
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.						

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
TOYOTA LANDCRUISER continued							
LANDCRUISER 80 & 100 SERIES 8/91-on							
8/91-01	80 & 100 Series		CTFS-107	CTFS-104		CTRS-107	CTRS-105
8/91-01	80 & 100 Series 60mm lift			CTFR-236 (81)			CTRR-237 (81)
8/91-01	80 & 100 Series 80mm lift			CTFR-238 (81)			CTRR-239 (81)
8/91-01	80 & 100 Series 100mm lift			CTFR-119 (81)			CTRR-119 (81)
NOTE (81) Long travel shocks necessary when using these part numbers. Heights shown are for std. vehicles without load bearing accessories. Pandard rod & castor alteration kits recommended.							
LANDCRUISER 100 SERIES with torsion bar front (I.F.S)							
1998-on	100 Series with V8		Torsion bars CTB-1600			CTRS-264	CTRR-264
1998-on	100 Series - Turbo Diesel		Torsion bars CTB-1610			CTRS-264	CTRR-264
LITEACE leaf sprung rear							
1971-84	Liteace				LB409 (99)	***(Lowering Blocks)	
1984-on	Liteace				LB410 (106)	***(Lowering Blocks)	
NOTE (99) Lowering blocks - LB409 suits models with 75mm I.D U bolts & 19mm centrebolt heads. Check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
NOTE (106) Lowering blocks - LB410 suits models with 75mm I.D U bolts & 16mm centrebolt heads. Check O.E U bolt & centrebolt head dimensions before ordering as these can vary.							
LITEACE / TOWNACE coil sprung rear							
1985-96	YR20-21, CR20-22 2WD					CTRS-229	CTRR-241
1996-on	Noah KBCR41V					CTRS-90	
PRADO							
1988-95	KZJ71 SWB		CTFS-116	CTFR-116		CTRS-116	CTRR-240
1988-95	KZJ71 SWB 100mm lift			CTFR-120 (81)			CTRR-120 (81)
1988-95	LJ/KZJ78 LWB		CTFS-116	CTFR-116		CTRS-265	CTRR-265
1988-95	LJ/KZJ78 LWB 100mm lift			CTFR-120 (81)			CTRR-121 (81)
NOTE (81) Long travel shocks necessary when using these part numbers. Heights shown are for std. vehicles without load bearing accessories. Pandard rod & castor alteration kits recommended.							
1993-02	Prado VZJ 95		CTFS-108	CTFR-108		CTRS-109	CTRR-109
2003-on	Prado		CTFS-122	CTFR-122		CTRS-123	CTRR-123
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							

YEAR	MAKE & MODEL	LOW	FRONT STD	RAISED	LOW	REAR STD	RAISED
TOYOTA COMMERCIAL continued							
REGIUS							
1996-on	Regius Van 2WD					CTRS-266	CTRR-266
TRIUMPH							
1964-69	2000 MK 1		CTFS-112			CTRS-113	
1969-77	2500 MK 2 PI, TC & Stag		CTFS-112			CTRS-114	
VOLKSWAGEN							
1975-83	Golf 2 & 4 Door Petrol		CVFS-01			CVRS-201	
1991-98	Golf Series 3 excl. VR6 (not Cabriolet)	CVFL-05			CVRL-05		
1992-98	Golf VR6				CVRL-04	CVRS-04	
1997-on	Golf Series 4 excl. VR6 & Cabriolet	CVFL-05			CVRL-10		
1973-80	Passat 1500 / 1600 Sedan					CVRS-204	
1998-on	Passat V6 Sedan	CVFL-07			CVRL-205		
1999-on	Passat 1.8 Turbo Variant TIP Wagon	CVFL-09			CVRL-200		
1995-98	Vento 2ltr.	CVFL-05			CVRL-05		
1998-on	Bora FWD	CVFL-22			CVRL-23		
1998-on	Bora AWD	CVFL-22			CVRL-206		
1999-on	Beetle	CVFL-22			CVRL-21		
VOLVO							
1971-75	142,144,164 Sedan					CVRS-11 (123)	
1971-75	142,144,164 Sedan					CVRS-12 (124)	
1975-93	240 & 260 Series Sedan		CVFS-207			CVRS-13	
1975-86	245 & 265 Series Wagon		CVFS-207			CVRS-14	
1982-96	740, 760, 780, 940, 960 Sedan non IRS					CVRS-15 (4)	
1982-96	740, 760, 780, 940, 960 Sedan IRS					CVRS-203	
1985-92	740-760 Series Wagon					CVRS-208	
1990-96	940-960 Series Wagon					CVRS-209	
1997-00	S40 Sedan incl. turbo	CVFL-202			CVRL-202	CVRS-202	
1997-00	V40 Stationwagon	CVFL-202			CVRL-210	CVRS-18	
NOTE (123) Suits models with eye on lower end only.							
NOTE (124) Suits models with eyes on both ends.							
NOTE (4) For self levelling type rear shock models replace shocks with appropriate conventional part number.							
NOTE ## COBRA SUPERLOW COILS ARE PREDOMINANTLY DESIGNED FOR DISPLAY CARS. CARE SHOULD BE TAKEN THAT ALL LEGAL REQUIREMENTS (100mm GROUND CLEARANCE, SPRING ENTRAPMENT, SUFFICIENT BUMPSTOP TRAVEL, ETC.) ARE MAINTAINED. IN SOME CASES CERTIFICATION MAY BE REQUIRED.							